

Operator:  
Edgars Svētiņš

SIA Gaismas Stils  
Maskavas iela 12, Rīga,  
LV-1050, Latvija

+371 67276760  
+371 67225072  
+371 26354740  
edgars@gaismasstils.lv

Date:  
2017.06.08.

GAISMAS  STILS

## Pielikums Nr.2 Apgaismojuma aprēķins. Lampu specifikācijas

### Dienvidu Mols Kugis "Grots"







Table of contents





Dienvidu Mols Kugis "Grots"

Luminaire parts list..... 3

Views..... 5

## Dienvidu Mols Kugis "Grots"


| Quantity | Luminaire (Luminous emittance)  |   |   |
|----------|---|---|---|
| 3        | <p>CREE - XSPD02210E--K_24-Q1 XSP1D - E - Type 210 - Q1</p> <p>Luminous emittance 1</p> <p>Fitting: 1x5 MD-A1450 Q1 3K 12V</p> <p>Light output ratio: 93.00%</p> <p>Lamp luminous flux: 6775 lm</p> <p>Luminaire luminous flux: 6301 lm</p> <p>Power: 49.0 W</p> <p>Luminous efficacy: 128.6 lm/W</p> |  |  |
| 5        | <p>CREE - XSPD023MEE--K_24-Q2 XSP1D - E - Type 3ME - Q2</p> <p>Luminous emittance 1</p> <p>Fitting: 1x5 MD-A1450 Q2 3K 12V</p> <p>Light output ratio: 87.85%</p> <p>Lamp luminous flux: 7579 lm</p> <p>Luminaire luminous flux: 6658 lm</p> <p>Power: 56.0 W</p> <p>Luminous efficacy: 118.9 lm/W</p> |  |  |

| Quantity | Luminaire (Luminous emittance)  |   |   |
|----------|---|---|---|
| 4        | <p>iGuzzini illuminazione - BT93 MAXIWOODY family 51.1W</p> <p>Luminous emittance 1</p> <p>Fitting: 1xLED</p> <p>Light output ratio: 100%</p> <p>Lamp luminous flux: 4810 lm</p> <p>Luminaire luminous flux: 4810 lm</p> <p>Power: 51.1 W</p> <p>Luminous efficacy: 94.1 lm/W</p>       |  |  |
| 4        | <p>iGuzzini illuminazione - PROI_POS1_P813 Platea Pro 56.5W</p> <p>Luminous emittance 1</p> <p>Fitting: 1xLED</p> <p>Light output ratio: 74.90%</p> <p>Lamp luminous flux: 5650 lm</p> <p>Luminaire luminous flux: 4232 lm</p> <p>Power: 56.5 W</p> <p>Luminous efficacy: 74.9 lm/W</p> |  |  |



Total lamp luminous flux: 103169 lm, Total luminaire luminous flux: 91470 lm, Total Load: 900.4 W, Luminous efficacy: 101.6 lm/W

## Dienvidu Mols Kugis "Grots"


### Teritorija 1



Teritorija 1F, Illuminance values in [lx]





## Teritorija 2






Teritorija 2F, Illuminance values in [lx]








### Teritorija 3





Teritorija 3F, Illuminance values in [lx]





## Skats 1



Skats 1f, Illuminance values in [lx]




Kugis jaunais f, Illuminance values in [lx]



## Kugis jaunais



Kugis 2





Kugis 2f, Illuminance values in [lx]

