

Order number 056.2_ID

Position: 1 / 3



Komforta standarts / PRIHODA.LV

Tailor-made Air Ducting&Diffusers

Number of pieces : 2

Shape Circular, Size 800 mm, Total length 32000 mm, First end Beginning, Second end Blanking, 8pcs Zip 800, Airflow 7480 m³/h, Available pressure 150 Pa



Fabric NMS - 100% polyester, Endless fibres (multifilament), Weight 225 g/m², Thickness 0,31 mm, Permeability 0 m³/h/m² by 120 Pa, strength (warp/weft) 1810/1090 N (EN ISO 13934-1:1999), Fire resistance - B-s1, d0 according to EN 13501-1+A1: 2010, Temperature resistance -30 a +110°C, Washing shrinkage (warp/weft) 0,5/0,5 % by 40°C according to EN ISO 6330-2000, Suitable for cleanrooms - class No. 4 (EN ISO 14644-1), Washable in washing-machine, Colour Light grey, Membrane for cooling and heating, 230 V servomotor, Membrane flap galvanized



List of mounting material:

1pcs 72800 mm Plastic-coated galvanized wire, 8pcs Galvanized lock nut , 4pcs Galvanized turn buckle , 14pcs Plastic-coated wire hangers 1500 mm, 128pcs Plastic hooks 432 mm, 1pcs Circular 800 mm Stainless steel strip

Microperforation

S1 Heat: A 31300mm, 3740m³/h, 135/90 Cool: 31300mm, 3740m³/h, Uniform

Price for 1 pc : 3514 EUR

Total price for pos. 1 : 7027 EUR

Weight : 66 kg

Order number 056.2_ID

Position: 2 / 3



Komforta standarts / PRIHODA.LV

Tailor-made Air Ducting&Diffusers

Number of pieces : 3

Shape Circular, Size 800 mm, Total length 32000 mm, First end Beginning, Second end Blanking, 8pcs Zip 800, Airflow 7880 m³/h, Available pressure 150 Pa



Fabric NMS - 100% polyester, Endless fibres (multifilament), Weight 225 g/m², Thickness 0,31 mm, Permeability 0 m³/h/m² by 120 Pa, strength (warp/weft) 1810/1090 N (EN ISO 13934-1:1999), Fire resistance - B-s1, d0 according to EN 13501-1+A1: 2010, Temperature resistance -30 a +110°C, Washing shrinkage (warp/weft) 0,5/0,5 % by 40°C according to EN ISO 6330-2000, Suitable for cleanrooms - class No. 4 (EN ISO 14644-1), Washable in washing-machine, Colour Light grey, Membrane for cooling and heating, 230 V servomotor, Membrane flap galvanized



List of mounting material:

1pcs 72800 mm Plastic-coated galvanized wire, 8pcs Galvanized lock nut , 4pcs Galvanized turn buckle , 14pcs Plastic-coated wire hangers 1500 mm, 128pcs Plastic hooks 432 mm, 1pcs Circular 800 mm Stainless steel strip

Microperforation

S1 Heat: A 31300mm, 3940m³/h, 135/90 Cool: 31300mm, 3940m³/h, Uniform

Price for 1 pc : 3514 EUR

Total price for pos. 2 : 10541 EUR

Weight : 98 kg

Order number 056.2_ID

Position: 3 / 3



Komforta standarts / PRIHODA.LV

Tailor-made Air Ducting&Diffusers

Number of pieces : 1

Shape Circular, Size 400 mm, Total length 17000 mm, First end Beginning, Second end Blanking, 4pcs Zip 400, Airflow 1050 m³/h, Available pressure 100 Pa



Fabric NMS - 100% polyester, Endless fibres (multifilament), Weight 225 g/m², Thickness 0,31 mm, Permeability 0 m³/h/m² by 120 Pa, strength (warp/weft) 1810/1090 N (EN ISO 13934-1:1999), Fire resistance - B-s1, d0 according to EN 13501-1+A1: 2010, Temperature resistance -30 a +110°C, Washing shrinkage (warp/weft) 0,5/0,5 % by 40°C according to EN ISO 6330-2000, Suitable for cleanrooms - class No. 4 (EN ISO 14644-1), Washable in washing-machine, Colour Light grey



List of mounting material:

1pcs 43700 mm Plastic-coated galvanized wire, 8pcs Galvanized lock nut , 4pcs Galvanized turn buckle , 8pcs Plastic-coated wire hangers 1500 mm, 70pcs Plastic hooks 232 mm, 1pcs Circular 400 mm Stainless steel strip

Microperforation

S1 16850mm, 525m³/h, Uniform110° 262m³/h D 4, 1/50 R 3/50 P 800/867250° 262m³/h D 4, 1/50 R 3/50 P 800/867

Price for 1 pc : 572,62 EUR

Total price for pos. 3 : 572,62 EUR

Weight : 8 kg

Position

1 - C800/32000 FB M/NMS-2/LG

2 - C800/32000 FB M/NMS-2/LG

3 - C400/17000 FB/NMS-2/LG

pcs.-weight/profiles-price 1pc./all

2pcs 65 kg / 0 kg - 3514 / 7027

3pcs 98 kg / 0 kg - 3514 / 10541

1pcs 8 kg / 0 kg - 572,62 / 572,62


Piezīmes:

- Montāžas materiāli iekļauti cena.
- Cenas norādītas bez PVN 21% un bez transporta izmaksām (Čehija-Rīga), apmēram 150,- EUR.
- Piegādes laiks ir 3-4 nedēļas no piedāvājuma apstiprināšanas un 50% priekšapmaksas saņemšanas brīža.
- Piegāde notiek uz pasūtītāja norādīto adresi (jānorāda: juridiskais nosaukums, precīza adrese, vārds, uzvārds, kontakta tālrunis).

Lūdzu pārbaudīt:

- gaisa daudzums
- spiediens;
- plūsmas virziens;
- izmēri;
- montāžas, stiprinājuma veids;
- auduma krāsa.

Procesa shēma:

Vairāk informācijas www.prihoda.lvJa rodas papildus jautājumu rakstiet prihoda@prihoda.lv, vai zvaniet +371 25553244

Ar cieņu, Mg.sc.ing. Dmitrijs Ivancovs.

Total price for pos. 1 - 3 :

18141 EUR

Weight : 171 kg