

Technical drawing of a square plate with the following dimensions and annotations:

- Overall width: 250
- Overall height: 250
- Inner square dimensions: 250 (width) and 250 (height)
- Inner square offset from center: 60 (width) and 60 (height)
- Top circular feature: 90 (radius)
- Bottom circular feature: 90 (radius)
- Annotation: 4. apt v. d8/L=2000/s.200mm
- Annotation: 4 d12

Technical drawing of a square column cross-section. The overall dimensions are 450 mm by 450 mm. The drawing shows the reinforcement layout, including the main longitudinal bars (4d12) and the stirrups (6.ap.t.v. d8/L=2000/s.200mm). The distance between the main bars is 100 mm, and the distance between the stirrups is 140 mm. The drawing also shows the distance between the main bars (60 mm) and the distance between the stirrups (60 mm).

Technical drawing of a reinforced concrete column and foundation. The column is 500mm wide and 1050mm high, with 4 d12 bars. The foundation is 2400mm wide and 300mm high, with 4 d12 bars. The drawing includes dimensions, material specifications (C20/25, W8, F100), and labels for reinforcement (EB-1, 4d12, 4 aptv. d8/L=2000/s.200mm).

500

EB-1

6 aptv. d8/L=2000/s.200mm

550

450

450

550

200

1050

1350

-0.250

4

4

4 d12

C20/25, W8, F100

300

-1.600

35

1600

plēve

šķembas

blietēta grunts

d12/s.200x200

1. Vispārīdie norādījumi Paskaidrojuma rakstā.
2. Par atzīmi 0.000 pieņemta absolūtā atzīme 7.400.
3. Pamatu piesaistes plānā skatīties lapā "Pamati". Strādāt kopā ar lapu BK-2-02.
4. Stiegru aizsargslānis 30mm, izņemot norādītos.

Atbildīgais projektētājs		 <p>ARHITEKTU BIROJS SIA "ER3" RĪGA, VIDRIŽU 4-136, LV-1006</p>	
Projektētājs		<p><b>AP Design</b> būvkonstrukciju projektēšana</p> <p>SIA "AP Design" Rīga, Braslas 27-74, LV-1004</p>	
BK daļas vadītājs		A. PETROVIČS	
Projektētājs		A. PETROVIČS	
Pasūtītājs		Pasūt. Nr.	
Ventspils Brīvostas pārvalde		VP-EC-12	
Objekts		Stadija	
Elektronikas centra ēka Ventspils Augsto tehnoloģiju parkā (bijusī Kaiju iela 9), Ventspilī		TP	
		Lapa	BK-3-07A
		Mērogs	M 1:25
Fails BK-3-01_09_pamati MP.dwg		Arh.reģ. Nr.	
Rasējums		Datums	
Pamats MP-7. MP-8		2013-10-25	