



PIELIKUMI



1. Pielikums
Zemes dzīļu izmantošanas licences kopija un
laboratoriju akreditācijas apliecību kopijas



Valsts vides dienests

Rūpniecības iela 23, Rīga, LV-1045, tālr. 67084200, e-pasts pasts@vvd.gov.lv, www.vvd.gov.lv

ZEMES DZĪĻU IZMANTOŠANAS LICENCE
Nr.CS20ZD0256

**Izsniegta AS „VentEko”, reģistrācijas numurs: 41203008864,
e-pasts: info@venteko.com**

*(pašvaldības nosaukums, komersanta firma un reģistrācijas numurs vai fiziskās
personas vārds, uzvārds un personas kods)*

Ģeokoloģiskā izpēte

(zemes dzīļu izmantošanas veids)

**Degvielas uzpildes stacijas, naftas bāzes, katlu mājas, sadzīves atkritumu izgāztuves
un piesārņotas vai potenciāli piesārņotas teritorijas**

(licencētais objekts)

Latvijas teritorija

(licencētā objekta administratīvā piederība, ja iespējams, adrese)

Licence izsniegta Rīgā
un derīga

**Dokumenta datums ir tā elektroniskās parakstīšanas datums
līdz 2021.gada 26.septembrim**

Pielikumā:

Nr.p.k.	Pielikuma nosaukums	Lpp. skaits
1.	zemes dzīļu izmantošanas nosacījumi	2
2.	karte vai plāns, kurā attēlo atradnes robežu, licences adresāta īpašumā vai nomā esošo zemesgabala robežas, licences laukuma robežu ar robežpunktiem; tabula ar robežpunktu koordinātām LKS-92 TM sistēmā	-
3.	derīgo izrakteņu ieguves limits	-

Licences pielikumi ir tās neatņemama sastāvdaļa

Vides resursu pārvaldības departamenta direktore

(L.Dukaļska)

(paraksts un tā atšifrējums)

Z.v.

**ŠIS DOKUMENTS IR PARAKSTĪTS AR DROŠU ELEKTRONISKO PARAKSTU UN
SATUR LAIKA ZĪMOGU**

Zemes dzīļu izmantošanas licenci vai tajā noteiktos nosacījumus mēneša laikā no paziņošanas dienas var pārsūdzēt Vides pārraudzības valsts birojam, iesniegumu par apstrīdēšanu iesniedzot Valsts vides dienestā, Rūpniecības ielā 23, Rīgā, LV-1045, e-pasta adrese: pasts@vvd.gov.lv. Saskaņā ar Paziņošanas likuma 9.panta otro daļu zemes dzīļu izmantošanas licence uzskatāma par paziņotu otrajā darba dienā pēc tās nosūtīšanas.

Zemes dzīļu izmantošanas nosacījumi**I. Vispārīgie zemes dzīļu izmantošanas nosacījumi**

1. Licences derīguma termiņš	2020.gada 27.septembris līdz 2021.gada 26.septembris.
2. Licences izsniegšanas pamatojums	a) Likuma „Par zemes dzīlēm” 10.panta pirmās daļas 3.punkta „e” apakšpunkts un 2 ¹ .daļa; b) Ministru kabineta 2011.gada 6.septembra noteikumu Nr.696 „Zemes dzīļu izmantošanas licenču un bieži sastopamo derīgo izrakteņu ieguves atļauju izsniegšanas kārtība, kā arī publiskas personas zemes iznomāšanas kārtība zemes dzīļu izmantošanai” (turpmāk - MK noteikumi Nr.696) 4.1.apakšpunkts.
3. Grozījumi	Nepieciešamības gadījumā iesniegt iesniegumu grozījumu veikšanai licencē un grozījumu pamatojumu Valsts vides dienestā (MK noteikumu Nr.696 34.punkts).
4. Zemes dzīļu izmantošanas ierobežošana, apturēšana	Zemes dzīļu izmantošana var tikt ierobežota, apturēta un licence atcelta likumā „Par zemes dzīlēm” 16.pantā noteiktajos gadījumos un noteiktajā kārtībā.
5. VVD informēšana	Informēt Valsts vides dienestu elektroniski (e-pasts: pasts@vvd.gov.lv): a) pirms (vēlams 5 darba dienas) ģeokoloģiskās izpētes uzsākšanas konkrētā objektā (MK noteikumu Nr.696 25.punkts), b) par nodotajiem pārskatiem valsts SIA „Latvijas Vides, ģeoloģijas un meteoroloģijas centrs”.

II. Ģeokoloģiskās izpētes nosacījumi

6. Normatīvie akti	a) Likums „Par piesārņojumu”, Atkritumu apsaimniekošanas likums, Ministru kabineta: 2002.gada 22.janvāra noteikumi Nr.34 „Noteikumi par piesārņojošo vielu emisiju ūdenī”, 2002.gada 12.marta noteikumi Nr.118 „Noteikumi par virszemes un pazemes ūdeņu kvalitāti”, 2005.gada 25.oktobra noteikumi Nr.804 „Augsnes un grunts kvalitātes normatīvi”, 2011.gada 27.decembra noteikumi Nr.1032 „Atkritumu poligonu ierīkošanas, atkritumu poligonu un izgāztuvju apsaimniekošanas, slēgšanas un rekultivācijas noteikumi” un 2012.gada 12.jūnija noteikumi Nr.409 „Noteikumi par vides aizsardzības prasībām degvielas uzpildes stacijām, naftas bāzēm un pārvietojamām cisternām”; b) Ņemt vērā, ka licence neatbrīvo no Latvijas Republikas likumu un citu normatīvo aktu prasību ievērošanas, kā arī paredzētajām ekspertīzēm un saskaņošanām.
7. Ģeokoloģiskā izpēte	a) Noslēgt līgumu ar zemes īpašnieku, tiesisko valdītāju vai pilnvarotu personu par tiesībām veikt ģeokoloģiskās izpētes darbus (MK noteikumu Nr.696 25.punkts); b) Sastādīt ģeokoloģiskās izpētes darbu programmu un saskaņot to ar Valsts vides dienesta attiecīgo reģionālo vides pārvaldi (Likums „Par piesārņojumu” 42.panta trešā daļa) un ar darbu pasūtītāju (MK noteikumu Nr.696 25.punkts); c) Veikt teritorijas apsekošanu dabā, izvērtēt Valsts ģeoloģijas fondā pieejamos materiālus un visu pasūtītāja sniegto informāciju par objektu;

7. Ģeoeoloģiskā izpēte	d) Paraugus grunts un pazemes ūdens kvalitātes noteikšanai ņemot tā, lai tie reprezentatīvi raksturotu pētāmās teritorijas piesārņojuma līmeni; e) Degvielas uzpildes stacijās pazemes ūdeņu un grunts paraugus atļauts ņemt akreditētām laboratorijām un akreditētiem komersantiem (MK noteikumu Nr.409 12.punkts); f) Veikt ņemto pazemes ūdeņu un grunts paraugu analīzes akreditētās laboratorijās; g) Noteikt grunts un pazemes ūdeņu piesārņojuma kritērijus, vadoties pēc to dabiski ķīmiskā sastāva un tā tehnogēnajām izmaiņām; h) Noteikt piesārņojuma iespējas, ietekmes virzienus un sekas; i) Izstrādāt rekomendācijas turpmākajai piesārņojuma likvidācijai, kā arī vides aizsardzības un kontroles pasākumiem.
8. Ģeoloģiskā informācija	a) Izpētes rezultātus apkopot ģeoeoloģiskās izpētes darbu pārskatā; b) Pārskatu līdz licences derīguma termiņa beigām, elektroniskā vai papīra formā nodot Valsts vides dienesta attiecīgajā reģionālajā vides pārvaldē (Likuma „Par piesārņojumu” 34.panta pirmā daļa un 40.panta pirmā daļa) un valsts SIA „Latvijas Vides, ģeoloģijas un meteoroloģijas centrs” (Ministru kabineta 2012.gada 28.augusta noteikumu Nr.578 „Noteikumi par ģeoloģiskās informācijas sistēmu” 4.punkts).
9. Vides aizsardzība	a) Nepieļaut grunts, zemes dziļu, virszemes un pazemes ūdeņu piesārņojumu vai citu kaitējumu videi; b) Paredzēt pasākumus, lai tehnikas darbības laikā netiktu pārsniegtas trokšņu emisiju pieļaujamās vērtības; c) Savākt un nodot atkritumu apsaimniekotājiem ģeoeoloģiskās izpētes darbu laikā radušos atkritumus; d) Apturēt vai ierobežot ģeoeoloģiskās izpētes darbus, ja atklājas zinātnei, kultūrai un vides aizsardzībai nozīmīgi ģeoloģiskie veidojumi vai citi objekti, nekavējoties ziņot par atklājumu Valsts vides dienestam.

Vides resursu pārvaldības departamenta direktore

L.Dukaļska

ŠIS DOKUMENTS IR PARAKSTĪTS AR DROŠU ELEKTRONISKO PARAKSTU UN
SATUR LAIKA ZĪMOGU



LATVIJAS NACIONĀLAIS AKREDITĀCIJAS BIROJS

Eiropas Akreditācijas kooperācijas Daudzpusējā atzīšanas līguma (EA MLA) dalībnieks
testēšanas un kalibrēšanas laboratoriju, produktu, personu un pārvaldības sistēmu
sertificēšanas institūciju, inspicēšanas un verificēšanas institūciju akreditācijas jomās

AKREDITĀCIJAS APLIECĪBA

Valsts aģentūra
„Latvijas Nacionālais akreditācijas birojs”
ar šo apliecina, ka

AS "VentEko" laboratorija

Juridiskā adrese: Dārzu iela 2, Ventspils, LV-3601

Atrašanās vieta: Rīgas iela 22, Piņķi, Babītes pagasts, Babītes novads, LV-2107

ir kompetenta veikt testēšanu atbilstoši
standartam LVS EN ISO/IEC 17025:2017 un Ministru kabineta
noteikumiem reglamentētajā sfērā:
pazemes ūdens un grunts paraugu ņemšana

Akreditācijas apliecība derīga līdz 2020. gada 21. decembrim.

Akreditētā darbības reglamentētā sfēra pielikumā uz 1 lapas, kas ir šīs akreditācijas
apliecības neatņemama sastāvdaļa.

LATAK registrācijas Nr. **LATAK-T-447-06-2011**

Rīga, 2020. gada 4. februāris

G. Jaunbērziņa - Beitika

Valsts aģentūras „Latvijas Nacionālais
akreditācijas birojs” direktore

D. Tauriņa

Akreditācijas komisijas
priekšsēdētāja



LATVIJAS NACIONĀLAIS AKREDITĀCIJAS BIROJS

Reģistrācijas Nr. LATAK-T-447-06-2011

Akreditācijas lēmuma datums: 2020.02.04.

Akreditācijas periods: 2015.12.22.-2020.12.21.

Akreditācijas standarts: LVS EN ISO/IEC 17025:2017

Akreditētā institūcija: AS "VentEko" laboratorija

Juridiskā adrese: Dārzu iela 2, Ventspils, LV-3601

Atrašanās vietas adrese: Rīgas iela 22, Piņķi, Babītes pagasts, Babītes novads, LV-2107

Akreditācijas reglamentētā sfēra: pazemes ūdens un grunts paraugu ņemšana

Objekts	Nosakāmie rādītāji	Inform. avots	Normatīvi-tehniskās dokumentācijas Nr	Metode	Normatīvi-tehniskās dokumentācijas nosaukums	Reģ.
1	2	3	4	5	6	7
					Ministru kabineta 2011.gada 27.decembra noteikumi Nr.1032 „Atkritumu poligonu ierīkošanas, atkritumu poligonu un izgāztuvju apsaimniekošanas, slēgšanas un rekultivācijas noteikumi”	1
					Ministru kabineta 2012.gada 12.jūnija noteikumi Nr.409 „Noteikumi par vides aizsardzības prasībām degvielas uzpildes stacijām, naftas bāzēm un pārvietojamajām cisternām”	2
Pazemes ūdens	Pazemes ūdens paraugu ņemšana		LVS ISO 5667-11:2011	1	Ūdens kvalitāte. Paraugu ņemšana. 11.daļa: Norādījumi pazemes ūdens paraugu ņemšanai	1, 2
Grunts	Paraugu ņemšana		ISO 18400-203-2018	2	Grunts kvalitāte. Paraugu ņemšana. 203.daļa: Potenciāli piesārņotu vietu izpēte. (Soil quality Sampling Part 203: Investigation of potentially contaminated sites).	2

2. Pielikums
Darbu programmas kopija



Valsts vides dienests

VENTSPILS REĢIONĀLĀ VIDES PĀRVALDE

Dārzu iela 2, Ventspils, LV-3601, tālr. 63625332, e-pasts ventspils@vvd.gov.lv, www.vvd.gov.lv

Ventspils

09.10.2020Nr.2.4/2186/VE/2020

Uz

Nr.

AS "VentEko"
info@venteko.com

Par Darbu programmas saskaņošanu

Valsts vides dienesta Ventspils reģionālās vides pārvalde (turpmāk – Pārvalde) 07.10.2020. saņēma *Darbu programmu* grunts un gruntsūdens pirmssanācības piesārņojuma detalizētai izpētei VNT (SIA “Ventspils nafta” termināls”) maģistrālo cauruļvadu trases (A un B rajonu) un bijušās NAI „ŪDEKA” (notekūdens attīrīšanas iekārtu) teritorijās Dzintaru ielā 52C, 52A, 68, 66A un 66B, Ventspilī

Pārvalde izskatīja iesniegto *Darbu programmu* un nolemj to saskaņot.

Direktora vietniece, Kontroles daļas vadītāja

Anna Adamsone

ŠIS DOKUMENTS IR ELEKTRONISKI PARAKSTĪTS AR DROŠU ELEKTRONISKO
PARAKSTU UN SATUR LAIKA ZĪMOGU

Anna Adamsone 63625332
anna.adamsone@vvd.gov.lv

DARBU PROGRAMMA

**grunts un gruntsūdens pirmssanācijas piesārņojuma
detalizētai izpētei zemes gabalos ar kadastra Nr.
27000290133 (Dzintaru iela 68), 27000290007
(Dzintaru iela 52C), 27000290015 (Dzintaru iela 52A),
27000290143 (Dzintaru iela 66A) un 27000290144
(Dzintaru iela 66B),
Ventspilī**

SATURS

1. IEVADS.....	3
2. OBJEKTA RAKSUROJUMS.....	4
3. DARBU SASTĀVS UN APJOMS	7
4. DARBU METODIKA.....	10
4.1. LIF zondēšana	10
4.2. Izpētes urbumu un novērošanas aku ierīkošana	11
4.3. Grunts paraugošana un mērījumi	11
4.4. Mērījumi novērošanas akās	11
4.5. Gruntsūdens un naftas produktu paraugošana un mērījumi	11
4.6. Laboratorijas analīzes.....	12
4.7. Saistītie pasākumi.....	12
5. SASNIEDZAMIE DARBU REZULTĀTI	13
IZMANTOTĀ LITERATŪRA	14
PIELIKUMS.....	15

1. IEVADS

Darbu programma sagatavota, balstoties uz apkopoto informāciju par teritorijas esošo vides stāvokli un apsekojuma rezultātiem, kā arī ievērojot Latvijā spēkā esošo saistošo likumos un normatīvajos aktos definētās prasības.

Darbu mērķis ir ar atbilstošām metodēm precizēt ar naftas produktiem (NP) piesārņotās grunts un gruntsūdens izplatības areālus, to ietvaros esošā piesārņojuma raksturu, izplatību un intensitāti zemes gabalos VNT (SIA „Ventspils nafta” termināls”) maģistrālo cauruļvadu trases (MCT - A un B rajonu) un bijušās NAI „ŪDEKA” (notekūdens attīrīšanas iekārtu) teritorijās, Dzintaru ielā 52C, 52A, 68, 66A un 66B, Ventspilī 2020. gadā.

Darbu procesā tiks definētas vismaz 2 - 3 iespējamās piesārņojuma attīrīšanas alternatīvas detālās izpētes teritorijā, kurām jāietver sevī ilgtspējīgas piesārņojuma attīrīšanas metodes vai to kombinācijas. Plānots salīdzināt katras metodes izmantošanas priekšrocības vai trūkumus konkrētajā teritorijā.

Visi darbi objektā tiks veikti, ievērojot teritorijas darba kārtības noteikumus, darba vides risku novērtējumus, vispārējo ugunsdrošības instrukciju un darbu atļauju procedūru.

Darbu programma tiks iesniegta Valsts vides dienesta Ventspils reģionālajā vides pārvaldē (VVD Ventspils RVP) izskatīšanai un saskaņošanai.

Pēc pirmssanācības detālās izpētes *Darbu programmas* realizācijas, saskaņā ar likuma „Par piesārņojumu” 44. panta ceturto daļu, izpētes veicējs sagatavos un iesniegs VVD Ventspils RVP pārskatu par veiktajiem darbiem objektā un sasniegtajiem rezultātiem.

2. OBJEKTA RAKSUROJUMS

VNT MCT - A un B rajonu daļa un bijušās NAI „ŪDEKA” notekūdens attīrīšanas iekārtu teritorija, kur tiks veikti izpētes darbi, izvietota Ventspils ziemeļu daļā - pilsētas rūpnieciskajā zonā (1. attēls), tikai no 30 m līdz dažu 100 m attālumā no Baltijas jūras krasta un no Ventspils ostas ziemeļu mola [17-19].

Zemes kadastra Nr. 27000290133 (Dzintaru iela 68), 27000290007 (Dzintaru iela 52C), 27000290015 (Dzintaru iela 52A), 27000290143 (Dzintaru iela 66A) un 27000290144 (Dzintaru iela 66B).

Izpētes objekta izvietojums



1. ATTĒLS


Izpētes teritorijā ir iekļauta aptuveni 21 ha plaša teritorija, kur ietilpst VNT MCT vēsturiski sauktie A un B rajoni (faktiski visa zona kas stiepjas gar bijušo NAI “ŪDEKA” teritoriju bijušo teritorijas robežu), daļa no bijušo NAI “ŪDEKA” teritorijas (izņemot piekrastes zonu, kur šobrīd tiek realizēti izpētes darbi), kā arī esošo NAI teritorijas daļa. Aptuvenā izpētes zona skatāma pievienotajā attēlā.

Teritorijas izmantošanas veids atbilstoši teritorijas plānojumam - Ostas termināļu teritorijas, OT, (Teritorijas plānojuma zona Nr. 14).

Fizioģeogrāfiski darbu objekts atrodas Piejūras zemienē Ventavas līdzenumā. Zemes virsmas reljefs pamatā līdzens, tā absolūtās atzīmes svārstās robežās no ~ 4 līdz 10 m virs jūras līmeņa (v.j.l.). Visā izpētes teritorijā reljefs izmainīts cilvēka darbības rezultātā – izlīdzināts.

Ģeoloģiskā griezuma augšējo daļu (līdz ~ 1.0 - 1.5 m) galvenokārt veido mūsdienu tehnogēnie nogulumi – pārrakta grunts (pamatā smilts smalka un vidēji rupja, ar oļiem), kas atsedzas zemes virspusē. Dziļāk (līdz izpētes laikā izurbtajam dziļumam – 6...9 m no zemes virsmas) ģeoloģiskajā griezumā iegūl holocēna vecuma Litorīnas jūras nogulumi smalka līdz rupja smilts vietām ar oļiem. Daļā teritorijas ap 3 – 4 m dziļumu no zemes virsmas iegūl līdz 0.5 m biezš labi šķirotas grants – oļu slānis [17-19].

Izpētes objekta ģeoloģiskie apstākļi



2. ATTĒLS

Šādam nogulumu sastāvam ir raksturīgi labas un ļoti labas filtrācijas īpašības, kas nozīmē, ka NP piesārņojuma brīvā fāze var netraucēti pārvietoties salīdzinoši lielos attālos, ko ietekmē grunts masīva hidrauliskā gradienta izraisītās spiedienu atšķirības. Īpaši labvēlīgs piesārņojuma migrācijai ir 5 – 6 m v.j.l. dziļumā konstatētais grants – oļu slānis, kura biezums nav lielāks par dažiem desmitiem cm, tomēr tam ir raksturīga ļoti liela filtrācija, kas nozīmē, ka piesārņojuma kustība ir iespējama lielā attālumā arī virzienā pret valdošo gruntsūdens plūsmas virzienu, atsevišķos īslaicīgos periodos. No agrāk veikto pētījumu datiem zināms, ka šajā teritorijā esošo nogulumu (izņemot grants – oļu slāni) filtrācijas koeficients k svārstās ap 23.5 m/dnn, bet grants – oļu slānim filtrācijas koeficients k var sasniegt 100...1000 m/dnn [17-19].

Gruntsūdens piesaistīts Litorīnas jūras nogulumu slānim, ko pamatā veido smalka un vidēji rupja smilts. Gruntsūdens plūsma pamatā vērsta jūras virzienā, tas iegūl 4,0 – 4,5 m dziļumā no zemes virsmas, bet piekrastes zonā gruntsūdens fiksējams tikai 1,7 – 2,7 metru dziļumā [17-19].

Gruntsūdens plūsmai (reizē arī iespējamā piesārņojuma migrācijas virzienam) lokālā mērogā ir samērā sarežģīts raksturs. Savukārt visai vienojoši var apgalvot, ka gruntsūdens reģionālā plūsma izpētes objektā ir vērsta uz ziemeļrietumiem - tas ir, Baltijas jūras virzienā [17-19].

Dominējošais teritorijas piesārņojuma veids - dažāda veida naftas produktu (NP) grunts un gruntsūdens piesārņojums. Lielākoties benzīna, petrolejas un biodegradētas dīzeļdegvielas frakcijas.

Deviņdesmito gadu sākumā bijušo NAI "ŪDEKA" (agrāk SIA "Filtrs") ekspluatācijas laikā sūkņu telpā un attīrīto notekūdeņu uzkrāšanas rezervuārā tika konstatēts naftas produktu piesārņojums, kurš nevarēja būt saistīts ar šajā teritorijā esošo iekārtu darbību. Par neapšaubāmu NP piesārņojumu liecināja ne tikai šī produkta parādīšanās minētajās vietās, bet arī tā klātbūtne un intensīva smaka vairākās citās pazemes komunikācijās [19].

Pirmos pētījumus 1991. - 1992. gadā uzsāka Latvijas ģeoloģijas pārvalde. 1993. un 1994. gadā šos pētījumus turpināja firma SIA "Balt-Ost-Geo" bet 1995. gadā šī pati firma veica piesārņoto pazemes ūdeņu atsūkņēšanu *VNT MCT A un B rajonā* un SIA "Filtrs" teritorijā [19].

Praktiski no tā brīža līdz pat šīs *Darbu programmas* sastādīšanas brīdim atsevišķās detālās izpētes teritorijas daļās ir veikti atsevišķi izpētes, monitoringa un sanācijas pasākumi.

3. DARBU SASTĀVS UN APJOMS

Ņemot vērā informāciju par teritorijas ģeokoloģisko stāvokli, ģeoloģiski – hidroģeoloģisko uzbūvi, spēkā esošo normatīvo dokumentu prasības, plānoto darbību teritorijā, plānots realizēt grunts un gruntsūdens pirmssanācības piesārņojuma detaļo izpēti.

Kopsummā izpētes ietvaros paredzēts veikt sekojošo:

- *Darbu programmas* sagatavošanu un iesniegšanu VVD *Ventspils RVP*;
- teritorijas apsekošanu un zondēšanas punktu/urbumu vietu saskaņošanu;
- mehānisko urbšanu un izpētes aku ierīkošanu;
- mehānisko zondēšanu ar *LIF* (Lāzera inducētā fluorescence);
- grunts, gruntsūdens un *NP* paraugu ņemšanu;
- grunts, gruntsūdens un *NP* paraugu testēšanu laboratorijas apstākļos;
- citu saistīto un nepieciešamo mērījumu veikšanu;
- rekomendāciju sagatavošanu turpmākiem vides aizsardzības pasākumiem;
- *Izpētes pārskata* par izpildītajiem darbiem un iegūtajiem rezultātiem sagatavošanu.

Pirms darbu uzsākšanas, paredzēts veikt izpētes teritorijas detalizētu apsekošanu no vides stāvokļa izpētes un kontroles pozīcijām. Tās gaitā, balstoties uz aktuālu topogrāfisko plānu, tiks precizētas projektēto zondēšanas punktu, izpētes urbumu un aku ierīkošanas vietas.


Grunts piesārņojuma ar *NP* novērtējumam paredzēts ierīkot 140 *LIF* (Lāzera inducētā fluorescence) zondēšanas punktus, izveidojot regulāru izvietojumu savstarpējā attālumā vienam no otra. Tādā veidā tiks iegūti dati par gruntī esošo *NP* piesārņojuma izplatības robežām un intensitāti.

Gruntsūdens kvalitātes novērtēšanai paredzēts ierīkot 30 gruntsūdens novērošanas akas, no kurām pēc gruntsūdens līmeņa un hidroķīmisko parametru mērījumiem ar mobilu lauka laboratoriju, tiks ņemti paraugi, lai laboratorijas apstākļos noteiktu *NP* un *BTEX* (monoaromātiskie ogļūdeņraži) saturu. Vismaz daļā no izpētes akām, kurās veicot lauku mērījumus tiks konstatēts naftas produktu peldošais slānis (*NPPS*), tiks veikta *NP* sastāva un vecuma analīze. Gruntsūdens paraugu ņemšanai un mērījumiem plānots izmantot arī daļu no jau teritorijā esošajām monitoringa akām. Kopumā paredzēts ņemt līdz 100 gruntsūdens paraugus.

Orientējošs projektējamo zondēšanas punktu, izpētes urbumu un gruntsūdens monitoringa aku ierīkošanas vietu plāns skatāms *Darbu programmas* 3. attēlā (kartē ir atliktas vairāk vietas, no kurām izvēlēsies 140 darba procesā). Tomēr, izpētes realizācijas gaitā, to vietas var tikt mainītas, atkarībā no to izvietošanas iespējām un piesārņojuma izplatības.

Urbumu/zondēšanas punktu ierīkošanas vietas tika izvēlētas, ņemot vērā objekta izvietoējuma īpatnības un plānoto darbu specifiku. Paredzams, ka šāds zondēšanas un urbumu punktu apjoms, dos iespēju precizēt iecirkņa ģeoloģiskos apstākļus, iegūt konkrētu priekšstatu par teritorijas grunts un gruntsūdens kvalitāti, kā arī, samērā precīzi aprēķināt piesārņotās grunts un piesārņojošo *NP* apjomu.

Projektējamo zondēšanas punktu un urbumu/gruntsūdens izpētes aku izvietojuma shēma



3. ATTĒLS

Pēc zondēšanas punktu un urbumu ierīkošanas tiks veikta to piesaiste plānā (noteiktas koordinātes) un pienivelēts absolūtais augstums, izmantojot punktu (reperi) objekta teritorijā ar zināmu augstuma atzīmi.

Grunts paraugus, tās kvalitātes noteikšanai, paredzēts ņemt urbšanas darbu laikā. Paraugi tiks ņemti dažādos dziļuma intervālos.

Paraugus paredzēts ņemt speciālos, hermētiski noslēdzamos plastmasas maisiņos. Izmantojot firmas “Ion science” mērītāju PID GAS DETECTOR, tiks veikti mērījumi visiem ņemtajiem grunts paraugiem. Šis mēraparāts darbojas kā fotojonizācijas detektors un nosaka gan gaistošo ogļūdeņražu kopējo koncentrāciju, gan dažādu atsevišķu gaistošo piesārņotāju saturu grunts porās.

Pēc šiem mērījumiem grunts paraugi tiks atlasīti un nodoti testēšanai akreditētā laboratorijā piesārņojošo vielu satura noteikšanai. Papildus piesārņojuma noteikšanai, atsevišķos grunts paraugos tiks noteikts granulometriskais sastāvs un filtrācijas īpašības, lai vēlāk būtu iespējams noteikt izpētes teritorijas litoloģiski atšķirīgos slāņus.

Balstoties uz zondēšanas, urbšanas, paraugošanas un *in-situ* hidroķīmisko mērījumu gaitā iegūtajiem datiem un laboratorijas analīžu rezultātiem, tiks veikta grunts un gruntsūdens piesārņojuma ar *NP* novērtēšana. Visi dati un aprēķinu gaitā iegūtie rezultāti tiks apkopoti *Izpētes pārskatā*.

Papildus *Izpētes pārskatā* tiks iekļauta informācija par teritorijas attīrīšanas (sanācijas) alternatīvām un piemērotākās alternatīvas izvēli.

Darbu procesā tiks nodefinētas vismaz 2 - 3 iespējamās piesārņojuma attīrīšanas alternatīvas darbu teritorijai, kurām jāietver ilgtspējīgas piesārņojuma attīrīšanas metodes vai to kombinācijas. Tiks raksturots katras metodes izmantošanas priekšrocības vai trūkumi konkrētajā teritorijā.

Atbilstoši iegūtajiem izpētes rezultātiem, tiks veikts piesārņojuma izvērtējums, potenciāli efektīvāko piesārņotās vides atveseļošanas (sanācijas) metožu izvērtējums, kā arī ieteikti efektīvākie attīrīšanas scenāriji.

4. DARBU METODIKA

Visi ar detālās izpētes pasākumu izpildi saistītie darbi tiks veikti atbilstoši spēkā esošajiem metodiskajiem norādījumiem, kā arī ievērojot visas šajā laika posmā spēkā esošo normatīvo aktu prasības:

- Ministru kabineta noteikumi Nr. 118 „Noteikumi par virszemes un pazemes ūdeņu kvalitāti” (ar grozījumiem). Stājušies spēkā ar 2002. gada 4. aprīli.
- Ministru kabineta noteikumi Nr. 158 „Noteikumi par prasībām attiecībā uz vides monitoringu un tā veikšanas kārtību, piesārņojošo vielu reģistra izveidi un informācijas pieejamību sabiedrībai. Stājušies spēkā ar 2009. gada 17. februāri.
- Ministru kabineta noteikumi Nr. 409 “Noteikumi par vides aizsardzības prasībām degvielas uzpildes stacijām, naftas bāzēm un pārvietojamajām cisternām” (ar grozījumiem). Stājušies spēkā ar 2012. gada 12. jūnijā..
- Ministru kabineta noteikumi Nr. 804 “Noteikumi par augsnes un grunts kvalitātes normatīviem”. Stājušies spēkā ar 2005. gada 25. oktobri.
- Latvijas standarts LVS EN ISO 5667 „Ūdens kvalitāte. Paraugu ņemšana”.
- Likums „Par piesārņojumu” (ar grozījumiem). Stājies spēkā ar 2001. gada 1. jūliju.
- Pazemes ūdeņu piesārņojuma izpēte. Metodiskie norādījumi. Apstiprināti Vides aizsardzības un reģionālās attīstības ministrijā 1998. gada 28. martā.
- API Publication 1628, “A Guide to the Assessment and Remediation of Underground Petroleum Releases”.
- API American Petroleum institute <http://www.api.org>

Izpētes veikšanai Valsts vides dienestā (VVD) saņemta Zemes dzīļu izmantošanas licence Nr. CS20ZD0256, kas derīga līdz 2021. gada 26. septembrim. Licences kopija skatāma *Darbu programmas* 1. Pielikumā.

4.1. LIF zondēšana

Zondēšanas darbu realizācijai tika izmantots firmas *PAGANI* statiskās zondēšanas agregāts, kas aprīkots ar UVOST[®] optiskās fluorescences reģistrators aparāturu.

Iekārta: Ultravioletās fluorescences optiskais reģistrators (UVOST[®])

Noteikšanas metode: Lāzera inducētā fluorescence (LIF) un Elektrovadītspēja (EC)

Darbības princips: Izmantojot statiskās zondēšanas iekārtu, vai urbšanas iekārtu ar perforācijas funkciju, gruntī tiek ievadīta speciāla zonde. Zonde ir aprīkota ar ultravioletās fluorescences optiskās reģistrēšanas (UVOST[®]) iekārtu, kas mēra lāzera inducēto fluorescenci (LIF metode) un, pamatojoties uz šiem mērījumiem, nosaka gruntī poli-aromātisko ogļūdeņražu (PAH) daudzumu un to sastāvu.

Statiskās zondēšanas iekārta gruntī vertikāli iespiež zondi, caur kuru notiek nepārtraukta (impulsu veidā) grunts apstarošana ar lāzera staru. Tur, kur ir naftas produktu (NP) piesārņojums (PAH), pēc grunts apstarošanas ar lāzeru tā kādu brīdi luminiscē. UVOST[®] reģistrē fluorescences intensitāti un spektru. Fluorescences intensitāte rāda, cik liels ir piesārņojums (NP daudzums gruntī), bet spektra analīze – kāds ir šī piesārņojuma sastāvs. Visi dati *on-line* režīmā atainojas vizuāli uz datora monitora un tiek saglabāti tā atmiņā.

Dati iegūti relatīvās vienībās, līdz ar to, pēc nepieciešamības tie tiek kalibrēti ar laboratorijas analīžu rezultātiem, kā rezultātā relatīvās vienības (fluorescences intensitāte (%RE)), tiek izteikti absolūtās vienībās – NP daudzums 1 kg grunts (mg/kg)). Iegūtās vērtības tiek izmantotas, lai aprēķinātu gruntī esošā piesārņojuma ar NP apjomus.

Nosakāmās un atpazīstamās vielas: benzīns, dīzeļdegviela, petroleja, reaktīvā (aviācijas) degviela, motoreļļas, smēreļļas, hidrauliskie šķidrumi, jēlnafts, kurināmā degviela, arī akmeņogļu darva, kreozots/pentahlorofenols (koka impregnanti).

Zondēšanas ierīkošanas vietas tiks piesaistītas LAS-2000,5 augstuma sistēmai un atrašanās vietas koordinātes - LKS-92 TM plaknes koordinātu sistēmai.

4.2. Izpētes urbumu un novērošanas aku ierīkošana

Izpētes urbumu un novērošanas aku ierīkošana tiks realizēta izmantojot APAGEO mehāniskās urbšanas agregātu APAFOR ar vītnes urbšanas metodi un/vai serdes urbšanas metodi, nepieciešamības gadījumā pielietojot apvalkcaurules. Urbumu diametrs – 130 mm.

Ierīkoto novērošanas aku filtra kolonnas diametrs – 63 mm. Filtra garums – 2 metri. Filtrs akā tiks ievietots tā, lai atrastos atsegtā gruntsūdens horizonta ūdens virsmas svārstību intervālā, jo tieši šajā līmenī parasti akumulējas naftas produktu peldošais slānis. Filtrs tiks apbērts ar rupjgraudainas smilts materiālu.

Visas aku atveres tiks piesaistītas LAS-2000,5 augstuma sistēmai un atrašanās vietas koordinātes - LKS-92 TM plaknes koordinātu sistēmai.

4.3. Grunts paraugošana un mērījumi

Urbšanas laikā no katra urbuma tiks ņemti grunts paraugi. Paraugošana veikta divos dziļuma intervālos. Grunts paraugi tiks ievietoti speciālos, hermētiski noslēdzamos ķīmiski neitrālos plastmasas maisiņos (0,5 kg) un sagatavoti dažādu mērījumu veikšanai un nogādāšanai akreditētā laboratorijā.

4.4. Mērījumi novērošanas akās

Naftas produktu (NP) peldošā slāņa un gruntsūdens līmeņu mērījumi tiks veikti ar speciālu, sertificētu aparāturu – nesajaucošos šķidrumu saskares virsmas detektoru *INTERFACE PROBE*. Mērījumi tiks veikti desmit dienas pēc aku ierīkošanas.

4.5. Gruntsūdens un naftas produktu paraugošana un mērījumi

Gruntsūdens un NP paraugu ņemšanai izmantos speciālu EIJKELKAMP firmas paraugošanas cilindru, kā arī WHALE paraugošanas sūkni. Pirms gruntsūdens paraugu ņemšanas akas atsūknēs līdz ūdens hidroķīmisko rādītāju - pH, elektrovadītspējas un temperatūras stabilizācijai. Ūdens fizikāli – ķīmiskos parametrus aku atsūknēšanas gaitā kontrolēs, izmantojot specializētu firmas WTW aparāturu (pārnēsājamu lauku hidroķīmisko laboratoriju). Pēc hidroķīmiskās situācijas stabilizēšanās no akām, kurās netiks fiksēts NP peldošais slānis, tiks ņemti gruntsūdens paraugi.

Akās, kurās tiks fiksēts NP peldošais slānis, tiks veikta naftas produkta parauga noņemšana. Gruntsūdens paraugus ievietos speciālās tumša stikla 1 l un/vai 0,004 l pudelēs, bet NP paraugus – 0,5 l plastmasas pudelēs to nogādāšanai laboratorijā.

4.6. Laboratorijas analīzes

Laboratorijas analīzes veiktas akreditētās laboratorijās - SIA „Vides Audits” (LATAK-T-261) un/vai LVĢMA Vides laboratorijā (LATAK-T105).

4.7. Saistītie pasākumi

Veicot izpētes darbus, objektā tiks ievēroti atbilstoši vides aizsardzības pasākumi:

- tiks nodrošināta piesārņoto materiālu un atkritumu (piesārņotā grunts no urbumiem, cimdi, absorbējošie materiāli u.c.), kas radīsies izpētes gaitā, savākšana un nogādāšana utilizācijai;
- darbu izpildes metodika nodrošinās to, ka vidē nenokļūst sekundārais piesārņojums, un netiks piesārņotas jaunas, līdz šim tīras teritorijas.

5. SASNIEDZAMIE DARBU REZULTĀTI

Izpētes darbu gaitā objekta teritorijā tiks:

- izvērtēta grunts un gruntsūdens piesārņojuma pakāpe atbilstoši LR normatīvajām prasībām;
- iegūti precīzi, reprezentatīvi grunts un pazemes ūdens piesārņojuma izplatības dati;
- izvērtēts naftas produktu piesārņojuma migrācijas ceļš;
- noteikts naftas produktu piesārņojuma apjoms un tā izplatība;
- sagatavots kartogrāfiskais materiāls par grunts un gruntsūdens piesārņojuma areālu;
- izstrādāts digitāls piesārņojuma areāla izplatības 3 - dimensiju modelis, attēlojot piesārņojuma areālu ar soli ("grid") ne mazāku par 0.5 m. Piesārņojuma areāls tiks attēlots absolūtajās vienībās (mg/kg un tml dz);
- izstrādātas rekomendācijas turpmākajiem vides aizsardzības pasākumiem, vides kvalitātes kontrolei un piesārņotās teritorijas sanācijai;
- veikts piesārņojuma izvērtējums, potenciāli efektīvāko piesārņotās vides atveseļošanas (sanācijas) metožu izvērtējums, kā arī ieteikti efektīvākie attīrīšanas scenāriji;
- sagatavots un iesniegts VNT detalizēts *Izpētes pārskats*.

Visi lauku darbu ietvaros iegūtie dati un materiāli tiks apkopoti *Izpētes pārskatā*, kas tiks iesniegts VVD Ventspils RVP.

Izpētes pārskata sagatavošana un rezultātu interpretācija tiks veikta ievērojot zemāk uzskaitītos normatīvos aktus:

- likums "Par piesārņojumu";
- Ministru kabineta (MK) 12.03.2002. noteikumi Nr. 118 „Noteikumi par virszemes un pazemes ūdeņu kvalitāti”;
- MK 25.10.2005. noteikumi Nr. 804 „Noteikumi augsnes un grunts kvalitātes normatīviem”;
- MK 12.06.2012. noteikumi Nr. 409 „Noteikumi par vides aizsardzības prasībām degvielas uzpildes stacijām, naftas bāzēm un pārvietojamām cisternām”;
- MK 06.09.2011. noteikumi Nr. 696 “Zemes dzīļu izmantošanas licenču un bieži sastopamo derīgo izrakteņu ieguves atļauju izsniegšanas kārtība”;
- metodiskie norādījumi „Pazemes ūdeņu piesārņojuma izpēte” (Valsts ģeoloģijas dienests, Rīga, 1997).

Izpētes pārskatā būs iekļauta informācija par veikto darbu metodiku, iegūtajiem rezultātiem, veiktajiem aprēķiniem (laboratorijas testu rezultāti, piesārņojuma izplatības kartoshēmas gruntī un gruntsūdenī) un izvērtēti efektīvākie piesārņojuma attīrīšanas scenāriji.


IZMANTOTĀ LITERATŪRA

1. API American Petroleum institute <http://www.api.org>
2. API Publication 1628, "A Guide to the Assessment and Remediation of Underground Petroleum Releases".
3. Eiropas Parlaments, *EIROPAS PARLAMENTA UN PADOMES DIREKTĪVA 2008/98/EK*, Eiropas Savienības Oficiālais Vēstnesis, 2008.
4. <http://www.epa.gov>.
5. International Standard ISO 18400-203 Soil quality – Sampling – Investigation of potentially contaminated sites
6. Latvijas Republikas Saeima, *Likums par piesārņojumu*, sēj. 51, Latvijas Vēstnesis, 2001.
7. Latvijas republikas Saeima, *Vides aizsardzības likums*, 2006.
8. Latvijas standarts LVS EN ISO 5667 „Ūdens kvalitāte. Paraugu ņemšana”
9. Ministru kabinets, *Noteikumi Nr. 483*, 2001.
10. Ministru kabinets, *Noteikumi Nr. 118*, 2002.
11. Ministru kabinets, *Noteikumi Nr. 804*, 2005.
12. Ministru kabinets, *Noteikumi Nr. 158*, 2009.
13. Ministru kabinets, *Noteikumi Nr. 409*, 2012.
14. Valsts ģeoloģijas dienests. Metodiskie norādījumi “Pazemes ūdeņu piesārņojuma izpēte”. 1998. gada 28. martā
15. Valsts zemes dienests, *kadastrs.lv*.
16. Vides aizsardzības un reģionālās attīstības ministrija. Gruntī un ūdenī nonākušā ķīmiskā piesārņojuma daudzuma aprēķināšanas metodika. Rīga, 2000.
17. Dimitrijevs E., Atskaite par gruntsūdens monitoringa aku tīkla rekonstrukciju SIA “Ventpils nafta” termināls” maģistrālo cauruļvadu trases teritorijā Dzintaru ielā 52C, Ventpilī, 2017. gads.
18. Dimitrijevs E., Atskaite par grunts un gruntsūdens piesārņojuma ar naftas produktiem izpēti SIA ““Ventpils nafta” termināls” cauruļvadu koridoram pieguļošajā teritorijā pie dz/c stacijas “Jūras parks”, Ventpilī, 2014. gads.
19. Kalpišs K., Atskaite par grunts un gruntsūdens piesārņojuma ar naftas produktiem izpēti bijušās BO SIA “Ūdeka” teritorijā, Dzintaru ielā 68, Ventpilī, 2013. gads.



3. Pielikums
LIF zondēšanas punktu griezumu izdrukas

Callouts



VentEko Ltd., 22 Rigas Street
 Pīrkā, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_001

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
6.47 m

Max signal:
2.4 %RE @ 0.07 m

Date & Time:
2020-10-19 14:39 FLEDT

Callouts



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
 www.VentEko.lv

LIF_002

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.62 m

Max signal:
3.8 %RE @ 1.62 m

Date & Time:
2020-10-19 15:11 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_003

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
5.74 m

Max signal:
19.1 %RE @ 0.41 m

Date & Time:
2020-10-19 15:52 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_004

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
8.65 m

Max signal:
11.5 %RE @ 0.08 m

Date & Time:
2020-10-20 10:24 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_005

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
8.65 m

Max signal:
7.2 %RE @ 3.17 m

Date & Time:
2020-10-20 11:18 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_006

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
8.72 m

Max signal:
6.4 %RE @ 0.08 m

Date & Time:
2020-10-20 11:55 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_007

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.34 m

Max signal:
4.8 %RE @ 2.89 m

Date & Time:
2020-10-20 13:25 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_008

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
6.63 m

Max signal:
17.4 %RE @ 1.33 m

Date & Time:
2020-10-20 14:04 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_009

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
8.63 m

Max signal:
13.4 %RE @ 2.55 m

Date & Time:
2020-10-20 14:44 FLEDT



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_010

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.73 m

Max signal:
22.5 %RE @ 0.11 m

Date & Time:
2020-10-20 15:47 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_011

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.67 m

Max signal:
23.3 %RE @ 0.57 m

Date & Time:
2020-10-20 16:23 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_012

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
7.61 m

Max signal:
61.2 %RE @ 6.48 m

Date & Time:
2020-10-21 09:53 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_013

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.65 m

Max signal:
84.5 %RE @ 6.53 m

Date & Time:
2020-10-21 10:24 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_014

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.69 m

Max signal:
227.5 %RE @ 5.05 m

Date & Time:
2020-10-21 11:04 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_015

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.67 m

Max signal:
105.5 %RE @ 6.02 m

Date & Time:
2020-10-21 12:50 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_016

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
7.50 m

Max signal:
128.7 %RE @ 5.79 m

Date & Time:
2020-10-21 13:57 FLEDT

Callouts



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_017

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
3.64 m

Max signal:
13.3 %RE @ 0.45 m

Date & Time:
2020-10-21 14:47 FLEDT

Callouts



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
 www.VentEko.lv

LIF_018

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
 www.DakotaTechnologies.com

Final depth:
2.66 m

Max signal:
3.1 %RE @ 0.06 m

Date & Time:
2020-10-21 15:31 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_019

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.02 m

Max signal:
299.2 %RE @ 4.68 m

Date & Time:
2020-10-21 16:02 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_020

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.66 m

Max signal:
153.2 %RE @ 4.84 m

Date & Time:
2020-10-22 09:49 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_021

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.62 m

Max signal:
16.4 %RE @ 4.53 m

Date & Time:
2020-10-22 10:35 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_022

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
5.53 m

Max signal:
30.3 %RE @ 4.06 m

Date & Time:
2020-10-22 11:10 FLEDT

Callouts



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
 www.VentEko.lv

LIF_023-3

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
 www.DakotaTechnologies.com

Final depth:
2.64 m

Max signal:
3.1 %RE @ 2.05 m

Date & Time:
2020-10-22 14:36 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_024

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.58 m

Max signal:
37.4 %RE @ 0.91 m

Date & Time:
2020-10-22 14:59 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_025

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.58 m

Max signal:
23.1 %RE @ 0.37 m

Date & Time:
2020-10-22 15:44 FLEDT



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_026

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
2.65 m

Max signal:
10.2 %RE @ 0.35 m

Date & Time:
2020-10-22 15:22 FLEDT

Callouts



VentEko Ltd., 22 Rigas Street
 Pīrkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
 www.VentEko.lv

LIF_027-2

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.59 m

Max signal:
12.7 %RE @ 2.34 m

Date & Time:
2020-10-23 09:52 FLEDT



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_028

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.62 m

Max signal:
163.9 %RE @ 3.39 m

Date & Time:
2020-10-26 13:17 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_029

Site:

Y Coord. (Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord. (Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.67 m

Max signal:
118.2 %RE @ 3.51 m

Date & Time:
2020-10-26 13:40 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_030

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.64 m

Max signal:
96.7 %RE @ 4.71 m

Date & Time:
2020-10-26 14:54 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_031

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

UVOST By Dakota

www.DakotaTechnologies.com

Client / Job:

/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Final depth:

7.13 m

Operator / Unit:

/ **UVOST1010**

Elevation:


Unavailable

Max signal:

85.1 %RE @ 5.67 m

Date & Time:

2020-10-26 15:20 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_032

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.51 m

Max signal:
48.2 %RE @ 4.54 m

Date & Time:
2020-10-26 16:10 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_033

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.42 m

Max signal:
37.5 %RE @ 4.25 m

Date & Time:
2020-10-28 09:37 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_034

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.74 m

Max signal:
153.7 %RE @ 2.12 m

Date & Time:
2020-10-28 10:17 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_035-3

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
3.75 m

Max signal:
139.8 %RE @ 2.19 m

Date & Time:
2020-10-28 12:05 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_036

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.70 m

Max signal:
59.8 %RE @ 1.54 m

Date & Time:
2020-10-28 13:32 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_037

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.62 m

Max signal:
135.1 %RE @ 0.76 m

Date & Time:
2020-10-28 14:00 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_038

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
3.37 m

Max signal:
56.9 %RE @ 1.48 m

Date & Time:
2020-10-28 14:27 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_039

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.66 m

Max signal:
69.9 %RE @ 0.61 m

Date & Time:
2020-10-28 14:53 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_040

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.52 m

Max signal:
42.5 %RE @ 2.77 m

Date & Time:
2020-10-28 15:38 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_041

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
4.73 m

Max signal:
16.0 %RE @ 3.35 m

Date & Time:
2020-10-28 16:16 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_042

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
5.02 m

Max signal:
76.7 %RE @ 4.13 m

Date & Time:
2020-10-29 09:46 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_043

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.01 m

Max signal:
29.8 %RE @ 5.06 m

Date & Time:
2020-10-29 10:08 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_044

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
7.50 m

Max signal:
11.0 %RE @ 6.05 m

Date & Time:
2020-10-29 10:45 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_045

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.61 m

Max signal:
61.4 %RE @ 5.60 m

Date & Time:
2020-10-29 11:34 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_046

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
6.67 m

Max signal:
14.6 %RE @ 5.76 m

Date & Time:
2020-10-29 12:55 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_047

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.71 m

Max signal:
69.2 %RE @ 4.83 m

Date & Time:
2020-10-29 13:37 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_048

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.72 m

Max signal:
133.1 %RE @ 4.89 m

Date & Time:
2020-10-29 14:19 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_049_Pie ekas stura

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
6.52 m

Max signal:
50.1 %RE @ 5.05 m

Date & Time:
2020-10-29 14:59 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_050

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.04 m

Max signal:
40.5 %RE @ 3.79 m

Date & Time:
2020-10-29 15:33 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_051

Site:
VNT

Client / Job:
Udeka /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
6.72 m

Max signal:
16.5 %RE @ 5.64 m

Date & Time:
2020-10-29 16:24 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_052

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.63 m

Max signal:
152.4 %RE @ 6.20 m

Date & Time:
2020-10-30 09:35 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_053

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.72 m

Max signal:
60.6 %RE @ 4.77 m

Date & Time:
2020-10-30 09:57 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_054

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.51 m

Max signal:
30.3 %RE @ 5.84 m

Date & Time:
2020-10-30 10:42 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_055

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.61 m

Max signal:
42.7 %RE @ 5.54 m

Date & Time:
2020-10-30 11:20 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_056

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.64 m

Max signal:
63.9 %RE @ 5.25 m

Date & Time:
2020-11-03 10:35 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_057

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable

UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.60 m

Max signal:
12.3 %RE @ 4.97 m

Date & Time:
2020-11-03 11:04 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_058

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.51 m

Max signal:
48.0 %RE @ 5.11 m

Date & Time:
2020-11-03 16:01 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_059

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.71 m

Max signal:
18.2 %RE @ 5.41 m

Date & Time:
2020-11-03 15:32 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_060

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.74 m

Max signal:
14.5 %RE @ 0.10 m

Date & Time:
2020-11-04 10:55 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_061

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.04 m

Max signal:
29.9 %RE @ 0.00 m

Date & Time:
2020-11-04 11:29 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_062_2

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.31 m

Max signal:
72.4 %RE @ 5.82 m

Date & Time:
2020-11-04 13:40 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_063

Site:

Client / Job:
/

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.64 m

Max signal:
15.9 %RE @ 6.66 m

Date & Time:
2020-11-04 14:20 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_064

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.38 m

Max signal:
42.7 %RE @ 5.41 m

Date & Time:
2020-11-04 15:12 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_065

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.62 m

Max signal:
5.0 %RE @ 0.02 m

Date & Time:
2020-11-04 15:53 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_066

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
3.62 m

Max signal:
41.6 %RE @ 2.92 m

Date & Time:
2020-11-05 09:36 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_067

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.58 m

Max signal:
30.9 %RE @ 2.16 m

Date & Time:
2020-11-05 09:49 FLEST



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_068

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.62 m

Max signal:
87.3 %RE @ 1.92 m

Date & Time:
2020-11-05 10:14 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_069

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord. (Lat-N) / System:
Unavailable / NA

X Coord. (Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.32 m

Max signal:
17.0 %RE @ 0.05 m

Date & Time:
2020-11-05 10:40 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_070

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.46 m

Max signal:
8.3 %RE @ 0.09 m

Date & Time:
2020-11-05 11:02 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_071

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
3.48 m

Max signal:
29.7 %RE @ 2.39 m

Date & Time:
2020-11-05 11:36 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_072

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.69 m

Max signal:
96.3 %RE @ 2.34 m

Date & Time:
2020-11-05 12:13 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_073

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
3.23 m

Max signal:
145.2 %RE @ 1.70 m

Date & Time:
2020-11-05 13:27 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_074

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.66 m

Max signal:
86.6 %RE @ 2.40 m

Date & Time:
2020-11-05 13:47 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_075

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.64 m

Max signal:
13.3 %RE @ 0.34 m

Date & Time:
2020-11-05 14:10 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_076

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.67 m

Max signal:
14.5 %RE @ 0.51 m

Date & Time:
2020-11-05 14:32 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_077

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.71 m

Max signal:
86.9 %RE @ 1.68 m

Date & Time:
2020-11-05 14:49 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_078

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
2.69 m

Max signal:
132.3 %RE @ 1.23 m

Date & Time:
2020-11-05 16:25 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_079

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.66 m

Max signal:
117.1 %RE @ 2.02 m

Date & Time:
2020-11-06 09:20 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_080

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.71 m

Max signal:
331.6 %RE @ 1.02 m

Date & Time:
2020-11-06 09:33 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_081

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
2.59 m

Max signal:
187.3 %RE @ 0.61 m

Date & Time:
2020-11-06 09:57 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_082

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
2.68 m

Max signal:
34.4 %RE @ 0.14 m

Date & Time:
2020-11-06 10:35 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_083

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.58 m

Max signal:
126.4 %RE @ 4.46 m

Date & Time:
2020-11-09 14:00 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_084

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

UVOST By Dakota

www.DakotaTechnologies.com

Client / Job:

/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Final depth:

5.57 m

Operator / Unit:

/ **UVOST1010**

Elevation:


Unavailable

Max signal:

96.3 %RE @ 4.03 m

Date & Time:

2020-11-09 14:23 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_085

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.61 m

Max signal:
200.2 %RE @ 4.06 m

Date & Time:
2020-11-09 15:03 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_086

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.30 m

Max signal:
202.3 %RE @ 3.60 m

Date & Time:
2020-11-09 15:48 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_087

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.58 m

Max signal:
188.5 %RE @ 4.15 m

Date & Time:
2020-11-10 10:08 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_088

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.03 m

Max signal:
148.6 %RE @ 4.88 m

Date & Time:
2020-11-10 10:32 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_089

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.53 m

Max signal:
20.5 %RE @ 0.05 m

Date & Time:
2020-11-10 11:20 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_090

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.63 m

Max signal:
6.7 %RE @ 3.94 m

Date & Time:
2020-11-10 11:54 FLEST



VentEko Ltd., 22 Rigas Street
Pirli, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_091

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010


Elevation:
Unavailable

UVOST By Dakota
www.DakotaTechnologies.com

Final depth:
6.03 m

Max signal:
297.3 %RE @ 4.66 m

Date & Time:
2020-11-10 13:11 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_092

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.53 m

Max signal:
386.0 %RE @ 4.62 m

Date & Time:
2020-11-10 13:35 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_093

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.52 m

Max signal:
505.6 %RE @ 4.89 m

Date & Time:
2020-11-10 14:17 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_094

Site:

Client / Job:

/

Operator / Unit:

/ UVOST1010

Y Coord.(Lat-N) / System:

Unavailable / NA

X Coord.(Lng-E) / Fix:

Unavailable / NA

Elevation:

Unavailable

UVOST By Dakota

www.DakotaTechnologies.com

Final depth:


5.55 m

Max signal:

154.7 %RE @ 4.54 m

Date & Time:

2020-11-10 15:15 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_095

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.58 m

Max signal:
232.3 %RE @ 4.24 m

Date & Time:
2020-11-10 15:39 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_096

Site:

Client / Job:

/

Operator / Unit:

/ UVOST1010

Y Coord.(Lat-N) / System:

Unavailable / NA

X Coord.(Lng-E) / Fix:

Unavailable / NA

Elevation:

Unavailable

UVOST By Dakota

www.DakotaTechnologies.com

Final depth:


5.26 m

Max signal:

328.2 %RE @ 2.76 m

Date & Time:

2020-11-10 16:19 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_097

Site:

Client / Job:

/

Operator / Unit:
/ UVOST1010

Y Coord. (Lat-N) / System:
Unavailable / NA

X Coord. (Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.08 m

Max signal:
507.2 %RE @ 3.59 m

Date & Time:
2020-11-11 09:48 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_098

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.98 m

Max signal:
186.2 %RE @ 3.67 m

Date & Time:
2020-11-11 10:16 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_099

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.37 m

Max signal:
140.5 %RE @ 4.46 m

Date & Time:
2020-11-11 10:59 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_100

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.50 m

Max signal:
221.2 %RE @ 4.21 m

Date & Time:
2020-11-11 11:36 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_101

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.50 m

Max signal:
5.9 %RE @ 3.67 m

Date & Time:
2020-11-11 12:05 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_102

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable

UVOST By Dakota



www.DakotaTechnologies.com

Final depth:
6.50 m

Max signal:
38.2 %RE @ 4.97 m

Date & Time:
2020-11-11 13:59 FLEST

Callouts



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_103

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable

UVOST By Dakota


www.DakotaTechnologies.com

Final depth:
6.51 m

Max signal:
3.7 %RE @ 0.19 m

Date & Time:
2020-11-11 14:28 FLEST

Callouts



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_104

Site:

Y Coord.(Lat-N) / System:
 Unavailable / NA

Client / Job:
 /

X Coord.(Lng-E) / Fix:
 Unavailable / NA

Operator / Unit:
 / UVOST1010

Elevation:
 Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
 5.59 m

Max signal:
 2.9 %RE @ 1.59 m

Date & Time:
 2020-11-11 15:03 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_105

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.61 m

Max signal:
270.4 %RE @ 4.68 m

Date & Time:
2020-11-11 15:44 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_106

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.61 m

Max signal:
399.8 %RE @ 4.15 m

Date & Time:
2020-11-11 16:16 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_107

Site:

Client / Job:

I

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.30 m

Max signal:
723.0 %RE @ 3.89 m

Date & Time:
2020-11-12 09:30 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_108

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.58 m

Max signal:
324.3 %RE @ 4.28 m

Date & Time:
2020-11-12 10:04 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_109

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.57 m

Max signal:
497.1 %RE @ 4.61 m

Date & Time:
2020-11-12 10:30 FLEST



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_110

Site:

Client / Job:

/

Operator / Unit:

/ UVOST1010

Y Coord.(Lat-N) / System:

Unavailable / NA

X Coord.(Lng-E) / Fix:

Unavailable / NA

Elevation:

Unavailable

UVOST By Dakota

www.DakotaTechnologies.com

Final depth:


7.61 m

Max signal:

348.7 %RE @ 5.42 m

Date & Time:

2020-11-12 11:09 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_111

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.02 m

Max signal:
485.1 %RE @ 5.04 m

Date & Time:
2020-11-12 11:49 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_112

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.52 m

Max signal:
81.3 %RE @ 5.28 m

Date & Time:
2020-11-12 13:53 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_113

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.02 m

Max signal:
65.1 %RE @ 5.63 m

Date & Time:
2020-11-12 14:19 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_114

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.53 m

Max signal:
8.6 %RE @ 0.74 m

Date & Time:
2020-11-12 14:59 FLEST



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_115

Site:

Y Coord.(Lat-N) / System:
 Unavailable / NA

Client / Job:
 /

X Coord.(Lng-E) / Fix:
 Unavailable / NA

Operator / Unit:
 / UVOST1010

Elevation:
 Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
 7.53 m

Max signal:
 8.9 %RE @ 0.02 m

Date & Time:
 2020-11-12 15:37 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_116

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.60 m

Max signal:
57.5 %RE @ 5.78 m

Date & Time:
2020-11-12 16:13 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_117

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
8.61 m

Max signal:
1488.2 %RE @ 5.71 m

Date & Time:
2020-11-13 09:35 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_118

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.33 m

Max signal:
94.6 %RE @ 5.88 m

Date & Time:
2020-11-13 10:12 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_119

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.61 m

Max signal:
198.1 %RE @ 5.62 m

Date & Time:
2020-11-13 10:52 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_120

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.40 m

Max signal:
21.4 %RE @ 2.96 m

Date & Time:
2020-11-13 11:34 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_121

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.13 m

Max signal:
767.3 %RE @ 5.24 m

Date & Time:
2020-11-13 12:36 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_122

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.52 m

Max signal:
450.6 %RE @ 3.81 m

Date & Time:
2020-11-16 12:37 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_123

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.29 m

Max signal:
89.9 %RE @ 4.02 m

Date & Time:
2020-11-16 13:28 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_124

Site:

Y Coord. (Lat-N) / System:
Unavailable / NA

Client / Job:

X Coord. (Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.58 m

Max signal:
174.2 %RE @ 4.98 m

Date & Time:
2020-11-16 13:49 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_125

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ UVOST1010

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.32 m

Max signal:
103.5 %RE @ 5.10 m

Date & Time:
2020-11-16 14:22 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_126

Site:

Y Coord. (Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord. (Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.46 m

Max signal:
90.8 %RE @ 5.16 m

Date & Time:
2020-11-16 15:06 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_127

Site:

Y Coord.(Lat-N) / System:
Unavailable / NA

Client / Job:
/

X Coord.(Lng-E) / Fix:
Unavailable / NA

Operator / Unit:
/ **UVOST1010**

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.02 m

Max signal:
11.3 %RE @ 1.14 m

Date & Time:
2020-11-16 15:57 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_128

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.46 m

Max signal:
39.0 %RE @ 0.01 m

Date & Time:
2020-11-17 09:30 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_129

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.01 m

Max signal:
262.8 %RE @ 5.10 m

Date & Time:
2020-11-17 10:05 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_130

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.55 m

Max signal:
420.3 %RE @ 5.83 m

Date & Time:
2020-11-17 11:05 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_131

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.59 m

Max signal:
510.6 %RE @ 5.38 m

Date & Time:
2020-11-17 11:51 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_132

Site:
Trase

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
6.03 m

Max signal:
451.6 %RE @ 4.60 m

Date & Time:
2020-11-17 12:34 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_133

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.55 m

Max signal:
31.5 %RE @ 0.04 m

Date & Time:
2020-11-18 10:14 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_134

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord. (Lat-N) / System:
Unavailable / NA

X Coord. (Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.62 m

Max signal:
6.5 %RE @ 2.68 m

Date & Time:
2020-11-18 10:32 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_135

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord. (Lat-N) / System:
Unavailable / NA

X Coord. (Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.98 m

Max signal:
191.5 %RE @ 2.92 m

Date & Time:
2020-11-18 11:06 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_136

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
3.57 m

Max signal:
13.5 %RE @ 0.59 m

Date & Time:
2020-11-18 11:39 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_137

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
4.39 m

Max signal:
5.0 %RE @ 3.31 m

Date & Time:
2020-11-18 12:05 FLEST



VentEko Ltd., 22 Rigas Street
Pirkl, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_138

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.47 m

Max signal:
172.9 %RE @ 5.95 m

Date & Time:
2020-11-18 13:00 FLEST



VentEko Ltd., 22 Rigas Street
 Pirkli, LV-2107, Latvia
 Phone: + 371 67913155
 Fax: + 371 67913156
www.VentEko.lv

LIF_139

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable


UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
7.61 m

Max signal:
63.1 %RE @ 6.45 m

Date & Time:
2020-11-18 13:35 FLEST



VentEko Ltd., 22 Rigas Street
Piriki, LV-2107, Latvia
Phone: + 371 67913155
Fax: + 371 67913156
www.VentEko.lv

LIF_140

Site:
Udeka

Client / Job:
VNT /

Operator / Unit:
/ UVOST1010

Y Coord.(Lat-N) / System:
Unavailable / NA

X Coord.(Lng-E) / Fix:
Unavailable / NA

Elevation:
Unavailable

UVOST By Dakota

www.DakotaTechnologies.com

Final depth:
5.87 m

Max signal:
121.1 %RE @ 5.07 m


Date & Time:
2020-11-18 14:18 FLEST




4. Pielikums

Modelēto un kalibrēto koncentrāciju grafiki


**Kalibrētās grunts piesārņojuma ar NP koncentrācijas
(LIF %RE pret NPK mg/kg)**




**Modelētās grunts piesārņojuma ar NP koncentrācijas
(LIF %RE pret NPK mg/kg)**



**Kalibrētās grunts piesārņojuma ar PAH koncentrācijas
(LIF %RE pret NPK mg/kg)**



**Modelētās grunts piesārņojuma ar PAH koncentrācijas
(LIF %RE pret NPK mg/kg)**



5. Pielikums
Laboratorijas analīžu testēšanas pārskatu kopijas

VentEko Ltd.
Att. Edgars Dimitrijevs
22 Rigas Str.
LV-2107 Pinki, Babite District
LATVIA

Certificate of analysis

Date: 25-Nov-2020

Please find enclosed the analytical results of the test carried out for the project.

Certificate number/Version	2020181955/1
Your project number	VNT-SAN/2020
Your project name	VNT
Your order number	
Samples received on	16-Nov-2020

This Certificate of Analysis shall not be reproduced except in full, without written approval of the laboratory. Interpretations and opinions are outside the scope of our accreditation, and all results relate only to samples supplied.

Soil samples will be stored for a period of 4 weeks and water samples for a period of 2 weeks after receipt of the samples at our laboratory. Without any additional request, samples will be disposed when the above mentioned periods have expired. If you require Eurofins Analytico to store the samples for a longer period, please complete this page and return it to Eurofins Analytico at least one businessday before the period is due to expire. The costs of prolonged storage periods may be found in our pricelist.

Storage period:

Date:

Name:

Signature:

We are confident that we have performed the order in accordance with your expectations. If you have any remaining questions concerning this Certificate of Analysis, please don't hesitate to contact our Customer Service.

Yours sincerely,

Eurofins Analytico B.V.



Ing. A. Veldhuizen
Technical Manager

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020181955/1
Your project name	VNT	Start date	18-Nov-2020
Your order number		End date analysis	24-Nov-2020
Your sample taker		Report date	24-Nov-2020/22:58
		Annex	A, B, C
		Page	1/2

Analysis	Unit	1	2	3	4	5
Characteristics						
Q Dry matter	% (w/w)	95.7	93.4	92.9	84.6	94.2
Petroleum Hydrocarbons						
EPH (C10-C12)	mg/kg dm	410	2400	1900	2400	6900
EPH (C12-C16)	mg/kg dm	580	3000	1700	1900	4600
EPH (C16-C21)	mg/kg dm	360	1600	780	800	1600
EPH (C21-C30)	mg/kg dm	100	420	200	210	370
EPH (C30-C35)	mg/kg dm	12	46	18	24	48
EPH (C35-C40)	mg/kg dm	<6.0	22	8.6	12	34
Q EPH Sum (C10-C40)	mg/kg dm	1500 ¹⁾	7500 ¹⁾	4600 ¹⁾	5300 ¹⁾	13000 ¹⁾
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex	See annex
Polycyclic Aromatic Hydrocarbons, PAH						
Q Naphtalene	mg/kg dm	11	48	13	14	15
Q Acenaphthylene	mg/kg dm	0.046	0.21	0.085	0.097	0.13
Q Acenaphthene	mg/kg dm	0.13	0.55	0.21	0.25	0.29
Q Fluorene	mg/kg dm	0.31	0.91	0.43	0.48	0.39
Q Phenanthrene	mg/kg dm	0.36	1.5	0.51	0.63	0.51
Q Anthracene	mg/kg dm	0.051	0.13	0.069	0.094	0.13
Q Fluoranthene	mg/kg dm	0.038	0.16	0.048	0.069	0.18
Q Pyrene	mg/kg dm	0.061	0.25	0.072	0.089	0.19
Q Benzo(a)anthracene	mg/kg dm	0.016	0.082	0.020	0.027	0.098
Q Chrysene	mg/kg dm	0.019	0.067	0.019	0.039	0.12
Q Benzo(b)fluoranthene	mg/kg dm	<0.010	<0.050 ²⁾	<0.010	0.018	0.094
Q Benzo(k)fluoranthene	mg/kg dm	<0.010	<0.050 ²⁾	<0.010	<0.010	0.055
Q Benzo(a)pyrene	mg/kg dm	<0.010	0.051	0.011	<0.010	0.088
Q Dibenzo(ah)anthracene	mg/kg dm	<0.010	<0.050 ²⁾	<0.010	<0.010	<0.050 ²⁾
Q Benzo(ghi)perylene	mg/kg dm	0.012	0.065	0.011	0.016	0.088
Q Indeno(123cd)pyrene	mg/kg dm	<0.010	<0.050 ²⁾	<0.010	0.011	0.073
Q PAH 10 VROM (sum)	mg/kg dm	11	50	14	15	16
Q PAH 16 EPA (sum)	mg/kg dm	12	52	15	16	17

No.	Your sample description	Specified sample matrix	Sample nr.
1	19Z	Soil, Sediment	11702508
2	34Z	Soil, Sediment	11702509
3	40Z	Soil, Sediment	11702510
4	81Z	Soil, Sediment	11702511
5	80Z	Soil, Sediment	11702512

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

This certificate shall not be reproduced except in full without written approval

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020181955/1
Your project name	VNT	Start date	18-Nov-2020
Your order number		End date analysis	24-Nov-2020
Your sample taker		Report date	24-Nov-2020/22:58
		Annex	A, B, C
		Page	2/2

Analysis	Unit	6	7	8	9
Characteristics					
Q Dry matter	% (w/w)	89.2	76.8	85.8	83.1
Petroleum Hydrocarbons					
EPH (C10-C12)	mg/kg dm	1100	1100	4500	2800
EPH (C12-C16)	mg/kg dm	890	730	2500	1300
EPH (C16-C21)	mg/kg dm	300	230	530	170
EPH (C21-C30)	mg/kg dm	90	54	120	35
EPH (C30-C35)	mg/kg dm	17	<6.0	9.6	<6.0
EPH (C35-C40)	mg/kg dm	8.4	<6.0	6.1	<6.0
Q EPH Sum (C10-C40)	mg/kg dm	2400 ¹⁾	2100 ¹⁾	7500 ¹⁾	4300 ¹⁾
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex
Polycyclic Aromatic Hydrocarbons, PAH					
Q Naphtalene	mg/kg dm	0.14	6.0	0.58	8.1
Q Acenaphthylene	mg/kg dm	0.019	0.028	0.046	<0.050 ²⁾
Q Acenaphthene	mg/kg dm	0.038	0.056	0.12	0.089
Q Fluorene	mg/kg dm	0.060	0.085	0.13	0.067
Q Phenanthrene	mg/kg dm	0.079	0.068	0.082	0.069
Q Anthracene	mg/kg dm	0.016	0.014	0.016	<0.050 ²⁾
Q Fluoranthene	mg/kg dm	0.080	0.024	0.061	<0.050 ²⁾
Q Pyrene	mg/kg dm	0.072	0.022	0.060	<0.050 ²⁾
Q Benzo(a)anthracene	mg/kg dm	0.042	0.022	0.028	<0.050 ²⁾
Q Chrysene	mg/kg dm	0.043	0.029	0.029	<0.050 ²⁾
Q Benzo(b)fluoranthene	mg/kg dm	0.072	0.028	0.041	<0.050 ²⁾
Q Benzo(k)fluoranthene	mg/kg dm	0.026	0.011	0.016	<0.050 ²⁾
Q Benzo(a)pyrene	mg/kg dm	0.048	0.021	0.028	<0.050 ²⁾
Q Dibenzo(ah)anthracene	mg/kg dm	0.012	<0.010	<0.010	<0.050 ²⁾
Q Benzo(ghi)perylene	mg/kg dm	0.053	0.013	0.021	<0.050 ²⁾
Q Indeno(123cd)pyrene	mg/kg dm	0.048	0.018	0.023	<0.050 ²⁾
Q PAH 10 VROM (sum)	mg/kg dm	0.57	6.2	0.89	8.1
Q PAH 16 EPA (sum)	mg/kg dm	0.85	6.4	1.3	8.3

No.	Your sample description	Specified sample matrix	Sample nr.
6	74z-1	Soil, Sediment	11702513
7	74z-2	Soil, Sediment	11702514
8	71z	Soil, Sediment	11702515
9	66z	Soil, Sediment	11702516

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Verified
ASM

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written order.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

FZ
TESTING
RvA L010

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020181955/

Page 1/1

Sample nr.	Your sample description			Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From	To		
11702508	19z				
0520199414	19z	430	450	13-Nov-2020	19z
11702509	34z				
0520199457	34z	240	260	13-Nov-2020	34z
11702510	40z				
0520199431	40z	230	250	13-Nov-2020	40z
11702511	81z				
0520200716	81z	90	110	13-Nov-2020	81z
11702512	80z				
0520199441	80z	50	70	13-Nov-2020	80z
11702513	74z-1				
0520199388	74z-1	130	150	13-Nov-2020	74z-1
11702514	74z-2				
0520200733	74z-2	230	250	13-Nov-2020	74z-2
11702515	71z				
0520200734	71z	210	230	13-Nov-2020	71z
11702516	66z				
0520200737	66z	280	300	13-Nov-2020	66z

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA0227924525
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

**Annex (B) concerning remarks referring to certificate of analysis 2020181955/1**

Page 1/1

Remark 1)

Volatile oil fraction present.

Remark 2)

Reporting limit increased due to dilution of sample.

**Eurofins Analytico B.V.**

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPARL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Annex (C) method references belonging to certificate of analysis 2020181955/1

Page 1/1

Analysis	Method	Technique	Method reference
Characteristics			
Dry matter	W0104	Gravimetry	NEN-EN 15934 & CMA 2/II/A.1
Petroleum Hydrocarbons			
EPH (C10-C40)	W0202	GC/FID	NEN-EN-ISO 16703
Chromatogram TPH (GC)	W0202	GC/FID	NEN-EN-ISO 16703
Polycyclic Aromatic Hydrocarbons, PAH			
PAH (16) (EPA)	W0271	GC-MS	NEN-ISO 18287

Additional information about the applied methods as well as the classification of the accuracy, are listed in our supplement: "Specification of methods of analyses", version June 2020.

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).




Chromatogram TPH/ Mineral Oil

Sample ID.: 11702508

Certificate no.: 2020181955

Sample description.: 19z

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702509

Certificate no.: 2020181955

Sample description.: 34z
V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702510

Certificate no.: 2020181955

Sample description.: 40z
V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702511

Certificate no.: 2020181955

Sample description.: 81z
V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702512

Certificate no.: 2020181955

Sample description.: 80z

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702513

Certificate no.: 2020181955

Sample description.: 74z-1

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702514

Certificate no.: 2020181955

Sample description.: 74z-2

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702515

Certificate no.: 2020181955

Sample description.: 71z
V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11702516 1119_41F_2 HI BSL

Certificate no.: 2020181955

Sample description.: 66z

V



VentEko Ltd.
Att. Edgars Dimitrijevs
22 Rigas Str.
LV-2107 Pinki, Babite District
LATVIA

Certificate of analysis

Date: 30-Nov-2020

Please find enclosed the analytical results of the test carried out for the project.

Certificate number/Version	2020185248/1
Your project number	VNT-SAN/2020
Your project name	VNT
Your order number	
Samples received on	19-Nov-2020

This Certificate of Analysis shall not be reproduced except in full, without written approval of the laboratory. Interpretations and opinions are outside the scope of our accreditation, and all results relate only to samples supplied.

Soil samples will be stored for a period of 4 weeks and water samples for a period of 2 weeks after receipt of the samples at our laboratory. Without any additional request, samples will be disposed when the above mentioned periods have expired. If you require Eurofins Analytico to store the samples for a longer period, please complete this page and return it to Eurofins Analytico at least one businessday before the period is due to expire. The costs of prolonged storage periods may be found in our pricelist.

Storage period:

Date:

Name:

Signature:

We are confident that we have performed the order in accordance with your expectations. If you have any remaining questions concerning this Certificate of Analysis, please don't hesitate to contact our Customer Service.

Yours sincerely,

Eurofins Analytico B.V.



Ing. A. Veldhuizen
Technical Manager

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020185248/1
Your project name	VNT	Start date	20-Nov-2020
Your order number		End date analysis	30-Nov-2020
Your sample taker		Report date	30-Nov-2020/09:35
		Annex	A, B, C, D
		Page	1/5

Analysis	Unit	1	2	3	4	5
Characteristics						
Q Dry matter	% (w/w)	92.9	84.9	91.5	92.1	95.9
Petroleum Hydrocarbons						
EPH (C10-C12)	mg/kg dm	5300	2600	8300	3600	1300
EPH (C12-C16)	mg/kg dm	5600	2100	5300	1800	1000
EPH (C16-C21)	mg/kg dm	2900	820	1500	200	390
EPH (C21-C30)	mg/kg dm	770	190	310	43	93
EPH (C30-C35)	mg/kg dm	110	7.6	10	<6.0	<6.0
EPH (C35-C40)	mg/kg dm	59	<6.0	<6.0	<6.0	<6.0
Q EPH Sum (C10-C40)	mg/kg dm	15000 ¹⁾	5800 ¹⁾	15000 ¹⁾	5600 ¹⁾	2800 ¹⁾
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
1	37z	Soil, Sediment	11712412
2	45z	Soil, Sediment	11712413
3	53z	Soil, Sediment	11712414
4	57z	Soil, Sediment	11712415
5	107z	Soil, Sediment	11712416

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020185248/1
Your project name	VNT	Start date	20-Nov-2020
Your order number		End date analysis	30-Nov-2020
Your sample taker		Report date	30-Nov-2020/09:35
		Annex	A, B, C, D
		Page	2/5

Analysis	Unit	6	7	8	9	10
Characteristics						
Q Dry matter	% (w/w)		54.1			
Q Dry matter	% (w/w)	95.0		86.8	95.1	86.1
Petroleum Hydrocarbons						
EPH (C10-C12)	mg/kg dm	150	3100	540	620	2400
EPH (C12-C16)	mg/kg dm	170	2900	440	1700	2500
EPH (C16-C21)	mg/kg dm	90	1500	280	1100	1400
EPH (C21-C30)	mg/kg dm	22	390	94	200	400
EPH (C30-C35)	mg/kg dm	<6.0	55	19	<6.0	27
EPH (C35-C40)	mg/kg dm	<6.0	30	9.8	9.1	11
Q EPH Sum (C10-C40)	mg/kg dm	440	8000 ¹⁾	1400 ¹⁾	3600 ¹⁾	6700 ¹⁾
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
6	108z	Soil, Sediment	11712417
7	110z	Soil, Sediment	11712418
8	112z	Soil, Sediment	11712419
9	118z	Soil, Sediment	11712420
10	96z	Soil, Sediment	11712421

Q: Dutch Accreditation Council (RvA) accredited test

R: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020185248/1
Your project name	VNT	Start date	20-Nov-2020
Your order number		End date analysis	30-Nov-2020
Your sample taker		Report date	30-Nov-2020/09:35
		Annex	A, B, C, D
		Page	3/5

Analysis	Unit	11	12	13	14	15
Characteristics						
Q Dry matter	% (w/w)	85.2	82.7	79.2	87.7	80.1
Petroleum Hydrocarbons						
EPH (C10-C12)	mg/kg dm	4300	3300	4000	2700	280
EPH (C12-C16)	mg/kg dm	3600	3200	7900	2700	1000
EPH (C16-C21)	mg/kg dm	1400	1500	4900	1300	730
EPH (C21-C30)	mg/kg dm	290	320	1000	290	240
EPH (C30-C35)	mg/kg dm	<6.0	7.7	13	<6.0	48
EPH (C35-C40)	mg/kg dm	<6.0	<6.0	<6.0	<6.0	24
Q EPH Sum (C10-C40)	mg/kg dm	9600 ¹⁾	8300 ¹⁾	18000 ¹⁾	7000 ¹⁾	2300
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex	See annex
Polycyclic Aromatic Hydrocarbons, PAH						
Q Naphtalene	mg/kg dm	0.50	4.7	7.0	2.0	0.41
Q Acenaphtylene	mg/kg dm	<0.010	0.085	0.20	0.046	0.094
Q Acenaphtene	mg/kg dm	0.086	0.14	0.45	0.12	0.15
Q Fluorene	mg/kg dm	0.13	0.27	0.73	0.19	0.32
Q Phenanthrene	mg/kg dm	0.047	0.27	1.0	0.14	0.62
Q Anthracene	mg/kg dm	<0.010	<0.010	0.062	<0.010	0.014
Q Fluoranthene	mg/kg dm	0.016	0.011	0.055	0.025	0.013
Q Pyrene	mg/kg dm	0.017	0.022	0.059	0.032	0.023
Q Benzo(a)anthracene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Chrysene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Benzo(b)fluoranthene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Benzo(k)fluoranthene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Benzo(a)pyrene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Dibenzo(ah)anthracene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Benzo(ghi)perylene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q Indeno(123cd)pyrene	mg/kg dm	<0.010	<0.010	<0.010	<0.010	<0.010
Q PAH 10 VROM (sum)	mg/kg dm	0.56	5.0	8.1	2.2	1.1
Q PAH 16 EPA (sum)	mg/kg dm	0.79 ³⁾	5.5 ³⁾	9.6 ³⁾	2.5 ³⁾	1.6 ³⁾

No.	Your sample description	Specified sample matrix	Sample nr.
11	83z	Soil, Sediment	11712422
12	84z	Soil, Sediment	11712423
13	85z	Soil, Sediment	11712424
14	87z	Soil, Sediment	11712425
15	92z	Soil, Sediment	11712426

Q: Dutch Accreditation Council (RvA) accredited test

R: AP04 accredited test

S: R5 SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020185248/1
Your project name	VNT	Start date	20-Nov-2020
Your order number		End date analysis	30-Nov-2020
Your sample taker		Report date	30-Nov-2020/09:35
		Annex	A, B, C, D
		Page	4/5

Analysis	Unit	16	17	18	19	20
Characteristics						
Q Dry matter	% (w/w)	78.0	86.9	90.7	83.0	87.5
Petroleum Hydrocarbons						
EPH (C10-C12)	mg/kg dm	4000	7500	7800	770	6400
EPH (C12-C16)	mg/kg dm	4800	7300	5600	670	4800
EPH (C16-C21)	mg/kg dm	2600	3600	1700	280	1600
EPH (C21-C30)	mg/kg dm	550	930	360	61	340
EPH (C30-C35)	mg/kg dm	8.4	73	<6.0	<6.0	<6.0
EPH (C35-C40)	mg/kg dm	<6.0	33	<6.0	<6.0	<6.0
Q EPH Sum (C10-C40)	mg/kg dm	12000 ¹⁾	19000 ¹⁾	15000 ¹⁾	1800 ¹⁾	13000 ¹⁾
Chromatogram TPH (GC)		See annex	See annex	See annex	See annex	See annex
Polycyclic Aromatic Hydrocarbons, PAH						
Q Naphtalene	mg/kg dm	33	41	1.5	2.0	1.4
Q Acenaphthylene	mg/kg dm	0.14	0.22	0.072	0.011	<0.010
Q Acenaphthene	mg/kg dm	0.37	0.69	0.20	0.028	0.062
Q Fluorene	mg/kg dm	0.77	1.4	0.27	0.049	0.056
Q Phenanthrene	mg/kg dm	0.83	2.2	0.20	0.043	0.039
Q Anthracene	mg/kg dm	0.11	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Fluoranthene	mg/kg dm	0.080	0.077	0.017	<0.010	0.013
Q Pyrene	mg/kg dm	0.12	0.14	0.023	<0.010	0.023
Q Benzo(a)anthracene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Chrysene	mg/kg dm	0.051	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Benzo(b)fluoranthene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Benzo(k)fluoranthene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Benzo(a)pyrene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Dibenzo(ah)anthracene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Benzo(ghi)perylene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q Indeno(123cd)pyrene	mg/kg dm	<0.050 ²⁾	<0.050 ²⁾	<0.010	<0.010	<0.010
Q PAH 10 VROM (sum)	mg/kg dm	34	43	1.7	2.1	1.4
Q PAH 16 EPA (sum)	mg/kg dm	35	45	2.3 ³⁾	2.1 ³⁾	1.6 ³⁾

No.	Your sample description	Specified sample matrix	Sample nr.
16	95z	Soil, Sediment	11712427
17	97z	Soil, Sediment	11712428
18	99z	Soil, Sediment	11712429
19	100z	Soil, Sediment	11712430
20	102z	Soil, Sediment	11712431

Q: Dutch Accreditation Council (RvA) accredited test

R: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020185248/1
Your project name	VNT	Start date	20-Nov-2020
Your order number		End date analysis	30-Nov-2020
Your sample taker		Report date	30-Nov-2020/09:35
		Annex	A, B, C, D
		Page	5/5

Analysis	Unit	21
Characteristics		
Q Dry matter	% (w/w)	89.4
Petroleum Hydrocarbons		
EPH (C10-C12)	mg/kg dm	1200
EPH (C12-C16)	mg/kg dm	2900
EPH (C16-C21)	mg/kg dm	2500
EPH (C21-C30)	mg/kg dm	1300
EPH (C30-C35)	mg/kg dm	390
EPH (C35-C40)	mg/kg dm	190
Q EPH Sum (C10-C40)	mg/kg dm	8400 ¹⁾
Chromatogram TPH (GC)	See annex	
Polycyclic Aromatic Hydrocarbons, PAH		
Q Naphtalene	mg/kg dm	11
Q Acenaphtylene	mg/kg dm	0.25
Q Acenaphtene	mg/kg dm	0.98
Q Fluorene	mg/kg dm	1.7
Q Phenanthrene	mg/kg dm	3.7
Q Anthracene	mg/kg dm	0.29
Q Fluoranthene	mg/kg dm	0.13
Q Pyrene	mg/kg dm	0.41
Q Benzo(a)anthracene	mg/kg dm	0.045
Q Chrysene	mg/kg dm	0.11
Q Benzo(b)fluoranthene	mg/kg dm	0.039
Q Benzo(k)fluoranthene	mg/kg dm	<0.010
Q Benzo(a)pyrene	mg/kg dm	0.024
Q Dibenzo(ah)anthracene	mg/kg dm	<0.010
Q Benzo(ghi)perylene	mg/kg dm	0.033
Q Indeno(123cd)pyrene	mg/kg dm	0.012
Q PAH 10 VROM (sum)	mg/kg dm	16
Q PAH 16 EPA (sum)	mg/kg dm	19

No. Your sample description

21 106z

Specified sample matrix

Soil, Sediment

Sample nr.

11712432

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Verified
ASM

FZ



TESTING
RvA L010

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020185248/

Page 1/2


Sample nr.	Your sample description			Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From	To		
11712412	37z				
0520200189	37z	40	60	16-Nov-2020	37z
11712413	45z				
0520199453	45z	500	530	16-Nov-2020	45z
11712414	53z				
0520200185	53z	410	430	16-Nov-2020	53z
11712415	57z				
0520200252	57z	420	450	16-Nov-2020	57z
11712416	107z				
0520199468	107z	280	300	16-Nov-2020	107z
11712417	108z				
0520199423	108z	310	330	16-Nov-2020	108z
11712418	110z				
0520199424	110z	430	450	16-Nov-2020	110z
11712419	112z				
0520199462	112z	430	450	16-Nov-2020	112z
11712420	118z				
0520200227	118z	490	520	16-Nov-2020	118z
11712421	96z				
0520199467	96z	280	300	16-Nov-2020	96z
11712422	83z				
0520199430	83z	390	410	16-Nov-2020	83z
11712423	84z				
0520199459	84z	390	410	16-Nov-2020	84z
11712424	85z				
0520199445	85z	350	400	16-Nov-2020	85z
11712425	87z				
0520199458	87z	330	350	16-Nov-2020	87z
11712426	92z				
0520199449	92z	450	500	16-Nov-2020	92z
11712427	95z				
0520199450	95z	400	450	16-Nov-2020	95z

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020185248/

Page 2/2

Sample nr.	Your sample description			Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From	To		
11712428	97z				
0520199444	97z	340	360	16-Nov-2020	97z
11712429	99z				
0520199460	99z	380	400	16-Nov-2020	99z
11712430	100z				
0520199443	100z	430	450	16-Nov-2020	100z
11712431	102z				
0520199470	102z	400	450	16-Nov-2020	102z
11712432	106z				
0520199465	106z	300	350	16-Nov-2020	106z



Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

**Annex (B) concerning remarks referring to certificate of analysis 2020185248/1**

Page 1/1

Remark 1)

Volatile oil fraction present.

Remark 2)

Reporting limit increased due to dilution of sample.

Remark 3)


Indicative value(s) due to interfering matrix.

**Eurofins Analytico B.V.**

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Annex (C) method references belonging to certificate of analysis 2020185248/1

Page 1/1

Analysis	Method	Technique	Method reference
Characteristics			
Dry matter	W0104	Gravimetry	NEN-EN 15934 & CMA 2/II/A.1
Dry matter	W0104	Gravimetry	NEN-EN 15934 & CMA 2/II/A.1
Petroleum Hydrocarbons			
EPH (C10-C40)	W0202	GC/FID	NEN-EN-ISO 16703
Chromatogram TPH (GC)	W0202	GC/FID	NEN-EN-ISO 16703
Polycyclic Aromatic Hydrocarbons, PAH			
PAH (16) (EPA)	W0271	GC-MS	NEN-ISO 18287

Additional information about the applied methods as well as the classification of the accuracy, are listed in our supplement: "Specification of methods of analyses", version June 2020.



Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Annex (D) remarks concerning the sampling and preservation period 2020185248/1

Page 1/1

Non compliance(s) of the criteria is(are) observed that may have influenced the accuracy of the test results of samples mentioned below.

Analysis

The preservation term for this parameter has been expired.

TPH (pretreatment)

Sample nr.

11712412
11712413
11712414
11712415
11712416
11712417
11712418
11712419
11712420
11712421
11712422
11712423
11712424
11712425
11712426
11712427
11712428
11712429
11712430
11712431
11712432



Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 RL Barneveld NL


Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01




Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Chromatogram TPH/ Mineral Oil


Sample ID.: 11712412
 Certificate no.: 2020185248
 Sample description.: 37z
 V






Sample ID.: 11712413
 Certificate no.: 2020185248
 Sample description.: 45z
 V



Sample ID.: 11712414
 Certificate no.: 2020185248
 Sample description.: 53z
 V




Sample ID.: 11712415
 Certificate no.: 2020185248
 Sample description.: 57z
 V






Chromatogram TPH/ Mineral Oil


Sample ID.: 11712416
 Certificate no.: 2020185248
 Sample description.: 107z
 V






Sample ID.: 11712417
 Certificate no.: 2020185248
 Sample description.: 108z
 V




Sample ID.: 11712418
 Certificate no.: 2020185248
 Sample description.: 110z
 V






Sample ID.: 11712419
 Certificate no.: 2020185248
 Sample description.: 112z
 V






Sample ID.: 11712420
 Certificate no.: 2020185248
 Sample description.: 118z
 V






Sample ID.: 11712421
 Certificate no.: 2020185248
 Sample description.: 96z
 V






Sample ID.: 11712422
 Certificate no.: 2020185248
 Sample description.: 83z
 V






Sample ID.: 11712423
 Certificate no.: 2020185248
 Sample description.: 84z
 V






Sample ID.: 11712424
 Certificate no.: 2020185248
 Sample description.: 85z
 V






Sample ID.: 11712425
 Certificate no.: 2020185248
 Sample description.: 87z
 V



Sample ID.: 11712426
 Certificate no.: 2020185248
 Sample description.: 92z
 V




Sample ID.: 11712427
 Certificate no.: 2020185248
 Sample description.: 95z
 V






Chromatogram TPH/ Mineral Oil




Sample ID.: 11712428
 Certificate no.: 2020185248
 Sample description.: 97z
 V






Sample ID.: 11712429
 Certificate no.: 2020185248
 Sample description.: 99z
 V



Sample ID.: 11712430
 Certificate no.: 2020185248
 Sample description.: 100z
 V




Sample ID.: 11712431
 Certificate no.: 2020185248
 Sample description.: 102z
 V



Chromatogram TPH/ Mineral Oil

Sample ID.: 11712432
 Certificate no.: 2020185248
 Sample description.: 106z
 V



VentEko Ltd.
Att. K. Kalpišs
22 Rigas Str.
LV-2107 Pinki, Babite District
LATVIA

Certificate of analysis

Date: 07-Dec-2020

Please find enclosed the analytical results of the test carried out for the project.

Certificate number/Version	2020191944/1
Your project number	VNT-SAN/2020
Your project name	VNT-SAN/2020
Your order number	VNT-SAN/2020
Samples received on	26-Nov-2020

This Certificate of Analysis shall not be reproduced except in full, without written approval of the laboratory. Interpretations and opinions are outside the scope of our accreditation, and all results relate only to samples supplied.

Soil samples will be stored for a period of 4 weeks and water samples for a period of 2 weeks after receipt of the samples at our laboratory. Without any additional request, samples will be disposed when the above mentioned periods have expired. If you require Eurofins Analytico to store the samples for a longer period, please complete this page and return it to Eurofins Analytico at least one businessday before the period is due to expire. The costs of prolonged storage periods may be found in our pricelist.

Storage period:

Date:

Name:

Signature:

We are confident that we have performed the order in accordance with your expectations. If you have any remaining questions concerning this Certificate of Analysis, please don't hesitate to contact our Customer Service.

Yours sincerely,

Eurofins Analytico B.V.



Ing. A. Veldhuizen
Technical Manager

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	1/18

Analysis	Unit	1	2	3	4	5
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	47	110	22	13	5600
Q Toluene	µg/L	440	730	260	180	22000
Q Ethylbenzene	µg/L	51	100	38	29	1400
Q o-Xylene	µg/L	92	150	64	49	2400
Q m,p-Xylene	µg/L	200	290	140	120	4900
Q Xylenes (sum)	µg/L	290	450	200	170	7300
Q BTEX (sum)	µg/L	820	1400	520	380	37000
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	35	2100	1100	40	580
TPH (C12-C16)	µg/L	<10	1100	280	14	160
TPH (C16-C21)	µg/L	<10	360	<10	<10	34
TPH (C21-C30)	µg/L	<15	100	<15	<15	<15
TPH (C30-C35)	µg/L	<10	15	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	42 ³⁾	3600 ³⁾	1400 ³⁾	60 ³⁾	760 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
1	VE10	Groundwater	11734646
2	M5	Groundwater	11734647
3	30	Groundwater	11734648
4	25	Groundwater	11734649
5	7M	Groundwater	11734650

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	2/18

Analysis	Unit	6	7	8	9	10
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	13000	690	250	90	540 ²⁾
Q Toluene	µg/L	45000	14000	3800	120	190
Q Ethylbenzene	µg/L	2700	2400	680	360	370
Q o-Xylene	µg/L	4600	6800	1700	170	280
Q m,p-Xylene	µg/L	9100	13000	2800	1200 ²⁾	1800 ²⁾
Q Xylenes (sum)	µg/L	14000	20000	4500	1300	2100
Q BTEX (sum)	µg/L	74000	38000	9200	1900	3200
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1100	1400	8200	880	4400
TPH (C12-C16)	µg/L	510	270	4700	380	3000
TPH (C16-C21)	µg/L	240	58	1800	130	1400
TPH (C21-C30)	µg/L	62	<15	410	34	420
TPH (C30-C35)	µg/L	12	<10	15	<10	71
TPH (C35-C40)	µg/L	<10	<10	<10	<10	33
Q TPH Sum (C10-C40)	µg/L	1900 ³⁾	1700 ³⁾	15000 ³⁾	1400 ³⁾	9200 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No.	Your sample description	Specified sample matrix	Sample nr.
6	VE14	Groundwater	11734651
7	VE11	Groundwater	11734652
8	VE13	Groundwater	11734653
9	VE12	Groundwater	11734654
10	M4	Groundwater	11734655

Q: Dutch Accreditation Council (RvA) accredited test
 A: AP04 accredited test
 S: AS SIKB recognized test
 V: VLAREL recognized test
 W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
 3771 NB Barneveld Fax +31 (0)34 242 63 99
 P.O. Box 459 E-mail info-env@eurofins.nl
 3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
 IBAN: NL71BNPA0227924525
 BIC: BNPANL2A
 KvK/CoC No. 09088623
 BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
 Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	3/18

Analysis	Unit	11	12	13	14	15
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	220	31	26000	81	2.3
Q Toluene	µg/L	850	100	27000	140	81
Q Ethylbenzene	µg/L	650	140	1600	170	48
Q o-Xylene	µg/L	1300	330	2300	150	44
Q m,p-Xylene	µg/L	3200	550 ²⁾	5300	760 ²⁾	100
Q Xylenes (sum)	µg/L	4500	880	7600	920	150
Q BTEX (sum)	µg/L	6200	1200	62000	1300	280
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1900	1600	2400	2000	1700
TPH (C12-C16)	µg/L	500	510	2100	540	480
TPH (C16-C21)	µg/L	76	67	1200	63	91
TPH (C21-C30)	µg/L	16	<15	360	18	20
TPH (C30-C35)	µg/L	<10	<10	47	10	<10
TPH (C35-C40)	µg/L	<10	<10	22	<10	<10
Q TPH Sum (C10-C40)	µg/L	2500 ³⁾	2200 ³⁾	6100 ³⁾	2600 ³⁾	2300 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
11	VE27	Groundwater	11734656
12	VE19	Groundwater	11734657
13	2ve	Groundwater	11734658
14	5M	Groundwater	11734659
15	VE8	Groundwater	11734660

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

This certificate shall not be reproduced except in full without written approval.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number VNT-SAN/2020
Your project name VNT-SAN/2020
Your order number VNT-SAN/2020
Your sample taker

Certificate number/Version 2020191944/1
Start date 30-Nov-2020
End date analysis 07-Dec-2020
Report date 07-Dec-2020/13:51
Annex A, B, C, D
Page 4/18

Analysis	Unit	16	17	18	19	20
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	13	31	550	360	370
Q Toluene	µg/L	180	590	750	21000	21000
Q Ethylbenzene	µg/L	64	110	480	4300	3100
Q o-Xylene	µg/L	93	190	720	7400	7100
Q m,p-Xylene	µg/L	200	380	1700	15000	14000
Q Xylenes (sum)	µg/L	300	570	2400	23000	21000
Q BTEX (sum)	µg/L	560	1300	4200	48000	45000
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	560	390	590	1700	1600
TPH (C12-C16)	µg/L	210	210	240	470	310
TPH (C16-C21)	µg/L	22	58	43	150	53
TPH (C21-C30)	µg/L	<15	<15	<15	48	<15
TPH (C30-C35)	µg/L	<10	<10	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	790 ³⁾	650 ³⁾	870 ³⁾	2400 ³⁾	1900 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

16 VE7
17 20a
18 3
19 VE24
20 VE25

Specified sample matrix

Groundwater
Groundwater
Groundwater
Groundwater
Groundwater

Sample nr.

11734661
11734662
11734663
11734664
11734665

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	5/18

Analysis	Unit	21	22	23	24	25
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	<0.20	0.25	<0.20	19	1.4
Q Toluene	µg/L	<0.20	0.47	0.43	0.58	0.44
Q Ethylbenzene	µg/L	0.68	1.4	1.0	28	6.4
Q o-Xylene	µg/L	0.79	1.0	1.2	8.6	1.6
Q m,p-Xylene	µg/L	2.6	3.3	3.5	21	5.3
Q Xylenes (sum)	µg/L	3.4	4.3	4.7	29	6.9
Q BTEX (sum)	µg/L	4.1	6.4	6.2	77	15
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	22	750	150	1700	980
TPH (C12-C16)	µg/L	<10	220	43	960	400
TPH (C16-C21)	µg/L	<10	17	<10	410	120
TPH (C21-C30)	µg/L	<15	<15	<15	110	31
TPH (C30-C35)	µg/L	<10	<10	<10	11	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	41 ³⁾	980 ³⁾	210 ³⁾	3200 ³⁾	1500 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
21	VE26	Groundwater	11734666
22	77	Groundwater	11734667
23	71	Groundwater	11734668
24	70	Groundwater	11734669
25	67	Groundwater	11734670

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number VNT-SAN/2020
Your project name VNT-SAN/2020
Your order number VNT-SAN/2020
Your sample taker

Certificate number/Version 2020191944/1
Start date 30-Nov-2020
End date analysis 07-Dec-2020
Report date 07-Dec-2020/13:51
Annex A, B, C, D
Page 6/18

Analysis	Unit	26	27	28	29	30
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	7.8	1.8	180	0.29	0.46
Q Toluene	µg/L	0.74	0.59	0.68	0.38	0.70
Q Ethylbenzene	µg/L	5.7	2.3	40	2.7	6.5
Q o-Xylene	µg/L	2.9	2.3	26	3.6	5.6
Q m,p-Xylene	µg/L	33	7.2	110	12	17
Q Xylenes (sum)	µg/L	36	9.6	140	15	22
Q BTEX (sum)	µg/L	51	14	360	19	30
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	280	410	700	780	1900
TPH (C12-C16)	µg/L	72	280	200	250	890
TPH (C16-C21)	µg/L	<10	160	16	60	150
TPH (C21-C30)	µg/L	<15	43	<15	22	35
TPH (C30-C35)	µg/L	<10	<10	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	360 ³⁾	900 ³⁾	900 ³⁾	1100 ³⁾	3000 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

26 62
27 65
28 60
29 72
30 1-4

Specified sample matrix

Groundwater
Groundwater
Groundwater
Groundwater
Groundwater

Sample nr.

11734671
11734672
11734673
11734674
11734675

Q: Dutch Accreditation Council (RvA) accredited test
R: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	7/18

Analysis	Unit	31	32	33	34	35
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	1.8	1.4	<0.20	0.29	0.63
Q Toluene	µg/L	0.37	0.36	0.50	0.65	1.2
Q Ethylbenzene	µg/L	3.2	4.0	2.9	4.3	33
Q o-Xylene	µg/L	3.8	3.7	4.1	6.7	92
Q m,p-Xylene	µg/L	12	12	14	21	300
Q Xylenes (sum)	µg/L	16	16	18	28	400
Q BTEX (sum)	µg/L	22	22	22	33	430
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1100	1000	730	610	1100
TPH (C12-C16)	µg/L	210	270	130	130	240
TPH (C16-C21)	µg/L	<10	34	<10	<10	34
TPH (C21-C30)	µg/L	<15	<15	<15	<15	<15
TPH (C30-C35)	µg/L	<10	<10	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	1300 ³⁾	1300 ³⁾	860 ³⁾	740 ³⁾	1400 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
31	10	Groundwater	11734676
32	31	Groundwater	11734677
33	VE3	Groundwater	11734678
34	VE4	Groundwater	11734679
35	VE28	Groundwater	11734680

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number VNT-SAN/2020
Your project name VNT-SAN/2020
Your order number VNT-SAN/2020
Your sample taker

Certificate number/Version 2020191944/1
Start date 30-Nov-2020
End date analysis 07-Dec-2020
Report date 07-Dec-2020/13:51
Annex A, B, C, D
Page 8/18

Analysis	Unit	36	37	38	39	40
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	3.5	8.0	9.1	180	<0.20
Q Toluene	µg/L	8.0	2.8	85	23	0.40
Q Ethylbenzene	µg/L	220	75	230	350	<0.20
Q o-Xylene	µg/L	430	150	680 ²⁾	180	<0.20
Q m,p-Xylene	µg/L	980 ²⁾	290	1400 ²⁾	1200 ²⁾	0.63
Q Xylenes (sum)	µg/L	1400	450	2100	1400	0.63
Q BTEX (sum)	µg/L	1600	530	2400	1900	1.0
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1700	830	1300	3300	160
TPH (C12-C16)	µg/L	430	250	280	5200	60
TPH (C16-C21)	µg/L	100	12	43	4800	<10
TPH (C21-C30)	µg/L	35	<15	<15	1500	<15
TPH (C30-C35)	µg/L	<10	<10	<10	230	<10
TPH (C35-C40)	µg/L	<10	<10	<10	110	<10
Q TPH Sum (C10-C40)	µg/L	2200 ³⁾	1100 ³⁾	1600 ³⁾	15000 ³⁾	230 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

36 33
37 M9
38 VE5
39 26
40 VE2

Specified sample matrix

Groundwater
Groundwater
Groundwater
Groundwater
Groundwater

Sample nr.

11734681
11734682
11734683
11734684
11734685

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	9/18

Analysis	Unit	41	42	43	44	45
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	<0.20	4.3	<0.20	3.4	24
Q Toluene	µg/L	0.38	0.30	0.23	0.26	48
Q Ethylbenzene	µg/L	<0.20	2.5	<0.20	4.8	260
Q o-Xylene	µg/L	<0.20	<0.20	0.32	3.4	500 ²⁾
Q m,p-Xylene	µg/L	1.1	0.58	0.84	12	910 ²⁾
Q Xylenes (sum)	µg/L	1.1	0.58	1.2	15	1400
Q BTEX (sum)	µg/L	1.4	7.7	1.4	24	1700
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	190	1100	980	2400	2100
TPH (C12-C16)	µg/L	57	290	150	1100	670
TPH (C16-C21)	µg/L	<10	15	<10	350	83
TPH (C21-C30)	µg/L	<15	<15	<15	92	<15
TPH (C30-C35)	µg/L	<10	<10	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	250 ³⁾	1400 ³⁾	1100 ³⁾	3900 ³⁾	2900 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
41	3ve	Groundwater	11734686
42	VE30	Groundwater	11734687
43	38	Groundwater	11734688
44	11	Groundwater	11734689
45	39	Groundwater	11734690

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	10/18

Analysis	Unit	46	47	48	49	50
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	2.6	3.6	<0.20	80	0.22
Q Toluene	µg/L	0.77	7.6	0.34	0.74	0.52
Q Ethylbenzene	µg/L	60	340	3.9	6.8	2.9
Q o-Xylene	µg/L	110	620 ²⁾	6.4	2.5	5.2
Q m,p-Xylene	µg/L	620 ²⁾	780 ²⁾	11	140	7.3
Q Xylenes (sum)	µg/L	730	1400	18	150	13
Q BTEX (sum)	µg/L	790	1700	22	230	16
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	4000	1800	890	470	790
TPH (C12-C16)	µg/L	1300	420	230	140	220
TPH (C16-C21)	µg/L	170	31	<10	<10	12
TPH (C21-C30)	µg/L	42	<15	<15	<15	<15
TPH (C30-C35)	µg/L	<10	<10	<10	<10	<10
TPH (C35-C40)	µg/L	<10	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	5400 ³⁾	2300 ³⁾	1100 ³⁾	610 ³⁾	1000 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
46	VE22	Groundwater	11734691
47	VE21	Groundwater	11734692
48	VE1	Groundwater	11734693
49	36	Groundwater	11734694
50	VE29	Groundwater	11734695

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPA NL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	11/18

Analysis	Unit	51	52	53	54	55
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	18	190	2.9	11000	150
Q Toluene	µg/L	0.93	52	0.39	11000	310
Q Ethylbenzene	µg/L	12	140	4.7	550	21
Q o-Xylene	µg/L	2.4	120	1.0	1200	37
Q m,p-Xylene	µg/L	5.8	980 ²⁾	2.3	2300	130
Q Xylenes (sum)	µg/L	8.1	1100	3.3	3400	170
Q BTEX (sum)	µg/L	39	1500	11	25000	660
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	360	1200	530	1700	1900
TPH (C12-C16)	µg/L	160	330	150	1300	1400
TPH (C16-C21)	µg/L	14	43	<10	680	580
TPH (C21-C30)	µg/L	<15	<15	<15	230	160
TPH (C30-C35)	µg/L	<10	<10	<10	39	13
TPH (C35-C40)	µg/L	<10	<10	<10	17	<10
Q TPH Sum (C10-C40)	µg/L	530 ³⁾	1600 ³⁾	690 ³⁾	3900 ³⁾	4000 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
51	34	Groundwater	11734696
52	VE6	Groundwater	11734697
53	VE23	Groundwater	11734698
54	117	Groundwater	11734699
55	134	Groundwater	11734700

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number VNT-SAN/2020
Your project name VNT-SAN/2020
Your order number VNT-SAN/2020
Your sample taker

Certificate number/Version 2020191944/1
Start date 30-Nov-2020
End date analysis 07-Dec-2020
Report date 07-Dec-2020/13:51
Annex A, B, C, D
Page 12/18

Analysis	Unit	56	57	58	59	60
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	210	1200	35	1400	6100
Q Toluene	µg/L	280	5700	8.4	3300	4500
Q Ethylbenzene	µg/L	19	380	400	490	630
Q o-Xylene	µg/L	32	1200	710 ²⁾	970	1200
Q m,p-Xylene	µg/L	68	2500	1400 ²⁾	2100	3100
Q Xylenes (sum)	µg/L	100	3700	2100	3000	4300
Q BTEX (sum)	µg/L	610	11000	2600	8200	15000
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1500	860	280000	5100	1800
TPH (C12-C16)	µg/L	740	540	520000	7700	1400
TPH (C16-C21)	µg/L	160	130	360000	5100	780
TPH (C21-C30)	µg/L	51	26	83000	1200	290
TPH (C30-C35)	µg/L	<10	<10	1200	49	57
TPH (C35-C40)	µg/L	<10	<10	230	13	25
Q TPH Sum (C10-C40)	µg/L	2400 ³⁾	1600 ³⁾	1.2E6 ³⁾	19000 ³⁾	4300 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

56 146
57 105
58 VE14
59 107
60 123

Specified sample matrix

Groundwater
Groundwater
Groundwater
Groundwater
Groundwater

Sample nr.

11734701
11734702
11734703
11734704
11734705

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	13/18

Analysis	Unit	61	62	63	64	65
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	150	260	<20 ¹⁾	170	3200
Q Toluene	µg/L	340	25	<20 ¹⁾	53	3900
Q Ethylbenzene	µg/L	29	520 ²⁾	<20 ¹⁾	200	580
Q o-Xylene	µg/L	39	1100 ²⁾	4000	66	380
Q m,p-Xylene	µg/L	120	2100 ²⁾	6300	880 ²⁾	2900
Q Xylenes (sum)	µg/L	160	3200	10000	950	3300
Q BTEX (sum)	µg/L	670	4000	10000	1400	11000
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	870	150000	8300	270000	35000
TPH (C12-C16)	µg/L	440	180000	12000	330000	38000
TPH (C16-C21)	µg/L	95	110000	8300	200000	21000
TPH (C21-C30)	µg/L	23	26000	1900	47000	6200
TPH (C30-C35)	µg/L	<10	430	76	680	810
TPH (C35-C40)	µg/L	<10	<100 ¹⁾	21	120	330
Q TPH Sum (C10-C40)	µg/L	1400 ³⁾	460000 ³⁾	30000 ³⁾	830000 ³⁾	100000 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
61	133	Groundwater	11734706
62	125	Groundwater	11734707
63	102	Groundwater	11734708
64	VE15	Groundwater	11734709
65	126	Groundwater	11734710

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number VNT-SAN/2020
Your project name VNT-SAN/2020
Your order number VNT-SAN/2020
Your sample taker

Certificate number/Version 2020191944/1
Start date 30-Nov-2020
End date analysis 07-Dec-2020
Report date 07-Dec-2020/13:51
Annex A, B, C, D
Page 14/18

Analysis	Unit	66	67	68	69	70
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	7300	56000	12	37000	2800
Q Toluene	µg/L	16000	56000	70	66000	24000
Q Ethylbenzene	µg/L	930	3500	1.5	3700	950
Q o-Xylene	µg/L	1700	5400	33	5600	4100
Q m,p-Xylene	µg/L	3300	11000	55	12000	7800
Q Xylenes (sum)	µg/L	5000	17000	88	17000	12000
Q BTEX (sum)	µg/L	29000	130000	170	120000	40000
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	1500	15000	8400	1300	24000
TPH (C12-C16)	µg/L	480	10000	33000	270	43000
TPH (C16-C21)	µg/L	98	5000	23000	84	28000
TPH (C21-C30)	µg/L	19	1600	5200	24	6400
TPH (C30-C35)	µg/L	<10	220	160	<10	350
TPH (C35-C40)	µg/L	<10	95	37	<10	110
Q TPH Sum (C10-C40)	µg/L	2100 ³⁾	32000 ³⁾	69000 ³⁾	1600 ³⁾	100000 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

66 132
67 115
68 101
69 114
70 112

Specified sample matrix

Groundwater
Groundwater
Groundwater
Groundwater
Groundwater

Sample nr.

11734711
11734712
11734713
11734714
11734715

Q: Dutch Accreditation Council (RvA) accredited test
A: AP04 accredited test
S: AS SIKB recognized test
V: VLAREL recognized test
W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	15/18

Analysis	Unit	71	72	73	74	75
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	4400	11000	300	22000	15
Q Toluene	µg/L	3800	20000	390	40000	2.9
Q Ethylbenzene	µg/L	380	1100	<0.20	1700	65
Q o-Xylene	µg/L	1800	2100	87	3100	89
Q m,p-Xylene	µg/L	5400	4500	320	5700	250
Q Xylenes (sum)	µg/L	7200	6500	410	8800	340
Q BTEX (sum)	µg/L	16000	39000	1100	72000	420
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	7200	1000	240	890	1700
TPH (C12-C16)	µg/L	15000	390	480	170	450
TPH (C16-C21)	µg/L	11000	120	360	24	30
TPH (C21-C30)	µg/L	4800	39	80	<15	<15
TPH (C30-C35)	µg/L	1200	<10	<10	<10	<10
TPH (C35-C40)	µg/L	510	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	39000 ³⁾	1600 ³⁾	1100 ³⁾	1100 ³⁾	2100 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
71	106	Groundwater	11734716
72	109	Groundwater	11734717
73	104	Groundwater	11734718
74	118	Groundwater	11734719
75	151	Groundwater	11734720

Q: Dutch Accreditation Council (RvA) accredited test
 A: AP04 accredited test
 S: AS SIKB recognized test
 V: VLAREL recognized test
 W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
 3771 NB Barneveld Fax +31 (0)34 242 63 99
 P.O. Box 459 E-mail info-env@eurofins.nl
 3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
 IBAN: NL71BNPA0227924525
 BIC: BNPANL2A
 KvK/CoC No. 09088623
 BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval.
 Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	16/18

Analysis	Unit	76	77	78	79	80
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	15000	170	6.4	8.4	<0.20
Q Toluene	µg/L	15000	260	0.78	3.4	<0.20
Q Ethylbenzene	µg/L	700	180	21	0.95	<0.20
Q o-Xylene	µg/L	1500	260	73	160	<0.20
Q m,p-Xylene	µg/L	3100	700 ²⁾	240	270	<0.20
Q Xylenes (sum)	µg/L	4600	960	310	440	<0.40
Q BTEX (sum)	µg/L	36000	1600	340	450	<1.0
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	2200	1200	2100	3200	160
TPH (C12-C16)	µg/L	2200	680	970	1500	65
TPH (C16-C21)	µg/L	1200	280	170	180	15
TPH (C21-C30)	µg/L	360	94	54	58	26
TPH (C30-C35)	µg/L	49	13	<10	<10	<10
TPH (C35-C40)	µg/L	20	<10	<10	<10	<10
Q TPH Sum (C10-C40)	µg/L	5900 ³⁾	2200 ³⁾	3300 ³⁾	4900 ³⁾	270 ³⁾
Chromatogram		See annex	See annex	See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
76	128	Groundwater	11734721
77	136	Groundwater	11734722
78	150	Groundwater	11734723
79	153	Groundwater	11734724
80	159	Groundwater	11734725

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	17/18

Analysis	Unit	81	82	83	84	85
Mono Aromatic Hydrocarbons						
Q Benzene	µg/L	<0.20	<0.20	5.1	50	29
Q Toluene	µg/L	<0.20	<0.20	6.0	12	110
Q Ethylbenzene	µg/L	<0.20	<0.20	3.3	36	29
Q o-Xylene	µg/L	<0.20	<0.20	80	96	370
Q m,p-Xylene	µg/L	<0.20	<0.20	88	180	750 ²⁾
Q Xylenes (sum)	µg/L	<0.40	<0.40	170	280	1100
Q BTEX (sum)	µg/L	<1.0	<1.0	180	370	1300
Petroleum Hydrocarbons						
TPH (C10-C12)	µg/L	<10	13	18000	14000	8600
TPH (C12-C16)	µg/L	<10	18	11000	12000	19000
TPH (C16-C21)	µg/L	<10	<10	2900	5200	12000
TPH (C21-C30)	µg/L	<15	<15	720	1300	3000
TPH (C30-C35)	µg/L	<10	<10	37	84	170
TPH (C35-C40)	µg/L	<10	<10	11	30	48
Q TPH Sum (C10-C40)	µg/L	<38	42	32000 ³⁾	33000 ³⁾	43000 ³⁾
Chromatogram		See annex		See annex	See annex	See annex

No. Your sample description

No.	Your sample description	Specified sample matrix	Sample nr.
81	VE16	Groundwater	11734726
82	VE15	Groundwater	11734727
83	157	Groundwater	11734728
84	138	Groundwater	11734729
85	111	Groundwater	11734730

Q: Dutch Accreditation Council (RvA) accredited test

A: AP04 accredited test

S: AS SIKB recognized test

V: VLAREL recognized test

W: Walloon region recognized test

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

This certificate shall not be reproduced except in full without written approval of Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Certificate of analysis

Your project number	VNT-SAN/2020	Certificate number/Version	2020191944/1
Your project name	VNT-SAN/2020	Start date	30-Nov-2020
Your order number	VNT-SAN/2020	End date analysis	07-Dec-2020
Your sample taker		Report date	07-Dec-2020/13:51
		Annex	A, B, C, D
		Page	18/18

Analysis	Unit	86
Mono Aromatic Hydrocarbons		
Q Benzene	µg/L	120
Q Toluene	µg/L	280
Q Ethylbenzene	µg/L	13
Q o-Xylene	µg/L	31
Q m,p-Xylene	µg/L	71
Q Xylenes (sum)	µg/L	100
Q BTEX (sum)	µg/L	510
Petroleum Hydrocarbons		
TPH (C10-C12)	µg/L	1300
TPH (C12-C16)	µg/L	3500
TPH (C16-C21)	µg/L	2300
TPH (C21-C30)	µg/L	590
TPH (C30-C35)	µg/L	48
TPH (C35-C40)	µg/L	19
Q TPH Sum (C10-C40)	µg/L	7600 ³⁾
Chromatogram	See annex	

No. Your sample description

86 100

Specified sample matrix

Groundwater

Sample nr.

11734731

Eurofins Analytico B.V.

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
 3771 NB Barneveld Fax +31 (0)34 242 63 99
 P.O. Box 459 E-mail info-env@eurofins.nl
 3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
 IBAN: NL71BNPA0227924525
 BIC: BNPNL2A
 KvK/CoC No. 09088623
 BTW/VAT No. NL 8043.14.883.B01

Q: Dutch Accreditation Council (RvA) accredited test
 A: AP04 accredited test
 S: AS SIKB recognized test
 V: VLAREL recognized test
 W: Walloon region recognized test

This certificate shall not be reproduced except in full without written approval.
 Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Verified
 ASM



Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 1/8

Sample nr.	Your sample description		Your sampling date		Sample description/Sampling ID
Barcode	Drill-#	From To			
11734646	VE10				
0680447439			23-Nov-2020		VE10
0675222615			23-Nov-2020		VE10
11734647	M5				
0680447434			23-Nov-2020		M5
0675222613			23-Nov-2020		M5
11734648	30				
0680447441			23-Nov-2020		30
0675222603			23-Nov-2020		30
11734649	25				
0680447440			23-Nov-2020		25
0675222618			23-Nov-2020		25
11734650	7M				
0680447436			23-Nov-2020		7M
0675222575			23-Nov-2020		7M
11734651	VE14				
0680447438			23-Nov-2020		VE14
0675222570			23-Nov-2020		VE14
11734652	VE11				
0675222614			23-Nov-2020		VE11
0680447437					
11734653	VE13				
0680447433			23-Nov-2020		VE13
0675222591			23-Nov-2020		VE13
11734654	VE12				
0680447432			23-Nov-2020		VE12
0675222598			23-Nov-2020		VE12
11734655	M4				
0680472845			23-Nov-2020		M4
0675222604			23-Nov-2020		M4
11734656	VE27				
0680472853			23-Nov-2020		VE27
0675222589			23-Nov-2020		VE27
11734657	VE19				
0680472846			23-Nov-2020		VE19

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 2/8

Sample nr.	Your sample description		Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From To		
0675222574			23-Nov-2020	VE19
11734658	2ve			
0680472833			23-Nov-2020	2ve
0675222639			23-Nov-2020	2ve
11734659	5M			
0680472850			23-Nov-2020	5M
0675222607			23-Nov-2020	5M
11734660	VE8			
0680472839			23-Nov-2020	VE8
0675222630			23-Nov-2020	VE8
11734661	VE7			
0680472849			23-Nov-2020	VE7
0675222646			23-Nov-2020	VE7
11734662	20a			
0680472848			23-Nov-2020	20a
0675222637			23-Nov-2020	20a
11734663	3			
0680472827			23-Nov-2020	3
0675222626			23-Nov-2020	3
11734664	VE24			
0680448810			23-Nov-2020	VE24
0675222625			23-Nov-2020	VE24
11734665	VE25			
0680448811			23-Nov-2020	VE25
0675222636			23-Nov-2020	VE25
11734666	VE26			
0680448805			23-Nov-2020	VE26
0675222654			23-Nov-2020	VE26
11734667	77			
0680448804			23-Nov-2020	77
0675222597			23-Nov-2020	77
11734668	71			
0680448801			23-Nov-2020	71
0675222647			23-Nov-2020	71

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 3/8

Sample nr.	Your sample description				
Barcode	Drill-#	From	To	Your sampling date	Sample description/Sampling ID
11734669	70				
0680448803				23-Nov-2020	70
0675222634				23-Nov-2020	70
11734670	67				
0680448802				23-Nov-2020	67
0675222656				23-Nov-2020	67
11734671	62				
0680448806				23-Nov-2020	62
0675222662				23-Nov-2020	62
11734672	65				
0680448807				23-Nov-2020	65
0675222588				23-Nov-2020	65
11734673	60				
0680447456				23-Nov-2020	60
0675222624				23-Nov-2020	60
11734674	72				
0680447455				23-Nov-2020	72
0675222635				23-Nov-2020	72
11734675	1-4				
0680447443				23-Nov-2020	1-4
0675222645				23-Nov-2020	1-4
11734676	10				
0680447448				23-Nov-2020	10
0675222653				23-Nov-2020	10
11734677	31				
0680447458				23-Nov-2020	31
0675222631				23-Nov-2020	31
11734678	VE3				
0680447457				23-Nov-2020	VE3
0675222644				23-Nov-2020	VE3
11734679	VE4				
0680447459				23-Nov-2020	VE4
0675222643				23-Nov-2020	VE4
11734680	VE28				
0680447453				23-Nov-2020	VE28

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 4/8

Sample nr.	Your sample description		Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From To		
0675222623			23-Nov-2020	VE28
11734681	33			
0680447464			23-Nov-2020	33
0675222655			23-Nov-2020	33
11734682	M9			
0680447465			23-Nov-2020	M9
0675223454			23-Nov-2020	M9
11734683	VE5			
0680447463			23-Nov-2020	VE5
0675223465			23-Nov-2020	VE5
11734684	26			
0680447462			23-Nov-2020	26
0675222587			23-Nov-2020	26
11734685	VE2			
0680447461			23-Nov-2020	VE2
0675222605			23-Nov-2020	VE2
11734686	3ve			
0680447460			23-Nov-2020	3ve
0675222566			23-Nov-2020	3ve
11734687	VE30			
0680447454			23-Nov-2020	VE30
0675222649			23-Nov-2020	VE30
11734688	38			
0680472829			23-Nov-2020	38
0675222658			23-Nov-2020	38
11734689	11			
0680472821			23-Nov-2020	11
0675222657			23-Nov-2020	11
11734690	39			
0680472828			23-Nov-2020	39
0675222648			23-Nov-2020	39
11734691	VE22			
0680447446			23-Nov-2020	VE22
0675222659			23-Nov-2020	VE22

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 5/8

Sample nr.	Your sample description		Your sampling date		Sample description/Sampling ID
Barcode	Drill-#	From To			
11734692	VE21				
0680447445			23-Nov-2020		VE21
0675222629			23-Nov-2020		VE21
11734693	VE1				
0680447452			23-Nov-2020		VE1
0675222660			23-Nov-2020		VE1
11734694	36				
0680447451			23-Nov-2020		36
0675223445			23-Nov-2020		36
11734695	VE29				
0680447442			23-Nov-2020		VE29
0675223455			23-Nov-2020		VE29
11734696	34				
0680447447			23-Nov-2020		34
0675223464			23-Nov-2020		34
11734697	VE6				
0680447450			23-Nov-2020		VE6
0675223435			23-Nov-2020		VE6
11734698	VE23				
0680447444			23-Nov-2020		VE23
0675223466			23-Nov-2020		VE23
11734699	117				
0680447449			23-Nov-2020		117
0675223469			23-Nov-2020		117
11734700	134				
0680472822			23-Nov-2020		134
0675223467			23-Nov-2020		134
11734701	146				
0680472836			23-Nov-2020		146
0675223457			23-Nov-2020		146
11734702	105				
0680472825			23-Nov-2020		105
0675223444			23-Nov-2020		105
11734703	VE14				
0680472837			23-Nov-2020		VE14

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 6/8

Sample nr.		Your sample description		Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From	To		
0675223434				23-Nov-2020	VE14
11734704	107				
0680472824				23-Nov-2020	107
0675223448				23-Nov-2020	107
11734705	123				
0680472823				23-Nov-2020	123
0675223456				23-Nov-2020	123
11734706	133				
0680472830				23-Nov-2020	133
0675223414				23-Nov-2020	133
11734707	125				
0680472831				23-Nov-2020	125
0675223417				23-Nov-2020	125
11734708	102				
0680472838				23-Nov-2020	102
0675223404				23-Nov-2020	102
11734709	VE15				
0680447424				23-Nov-2020	VE15
0675223395				23-Nov-2020	VE15
11734710	126				
0680447406				23-Nov-2020	126
0675223427				23-Nov-2020	126
11734711	132				
0680447405				23-Nov-2020	132
0675223436				23-Nov-2020	132
11734712	115				
0680447425				23-Nov-2020	115
0675223459				23-Nov-2020	115
11734713	101				
0680447417				23-Nov-2020	101
0675223447				23-Nov-2020	101
11734714	114				
0680447418				23-Nov-2020	114
0675223415				23-Nov-2020	114

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 7/8

Sample nr.	Your sample description		Your sampling date		Sample description/Sampling ID
Barcode	Drill-#	From To			
11734715	112				
0680447431			23-Nov-2020		112
0675223424			23-Nov-2020		112
11734716	106				
0680447430			23-Nov-2020		106
0675223425			23-Nov-2020		106
11734717	109				
0680447423			23-Nov-2020		109
0675223437			23-Nov-2020		109
11734718	104				
0680447410			23-Nov-2020		104
0675223411			23-Nov-2020		104
11734719	118				
0680447416			23-Nov-2020		118
0675223391			23-Nov-2020		118
11734720	151				
0680447415			23-Nov-2020		151
0675223416			23-Nov-2020		151
11734721	128				
0680447412			23-Nov-2020		128
0675223446			23-Nov-2020		128
11734722	136				
0680447411			23-Nov-2020		136
0675223406			23-Nov-2020		136
11734723	150				
0680447422			23-Nov-2020		150
0675223426			23-Nov-2020		150
11734724	153				
0680447421			23-Nov-2020		153
0675223398			23-Nov-2020		153
11734725	159				
0680447414			23-Nov-2020		159
0675223405			23-Nov-2020		159
11734726	VE16				
0680447413			23-Nov-2020		VE16

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL
Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

Appendix (A) with the specified sub-sample information belonging to the analysis certificate. 2020191944/

Page 8/8

Sample nr.		Your sample description		Your sampling date	Sample description/Sampling ID
Barcode	Drill-#	From	To		
0675223392				23-Nov-2020	VE16
11734727	VE15				
0680472844				23-Nov-2020	VE15
0675223394				23-Nov-2020	VE15
11734728	157				
0680472826				23-Nov-2020	157
0675223377				23-Nov-2020	157
11734729	138				
0680472832				23-Nov-2020	138
0675223376				23-Nov-2020	138
11734730	111				
0680472835				23-Nov-2020	111
0675223374				23-Nov-2020	111
11734731	100				
0680472841				23-Nov-2020	100
0675223390				23-Nov-2020	100

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPPNL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

**Annex (B) concerning remarks referring to certificate of analysis 2020191944/1**

Page 1/1

Remark 1)

Reporting limit increased due to dilution of sample.

Remark 2)

Indicative value: result is outside the calibration range of the method. No dilution possible.

Remark 3)


Volatile oil fraction present.

**Eurofins Analytico B.V.**

Gildeweg 42-46 Tel. +31 (0)34 242 63 00
3771 NB Barneveld Fax +31 (0)34 242 63 99
P.O. Box 459 E-mail info-env@eurofins.nl
3770 AL Barneveld NL Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Annex (C) method references belonging to certificate of analysis 2020191944/1

Page 1/1

Analysis	Method	Technique	Method reference
Mono Aromatic Hydrocarbons			
Aromatics (BTEx)	W0254	HS-GC/MS	ISO 11423-1
Petroleum Hydrocarbons			
EPH (C10-C40)	W0215	GC/FID	NEN EN ISO 9377-2
Chromatogram oil (GC)	W0215	GC/FID	In house method

Additional information about the applied methods as well as the classification of the accuracy, are listed in our supplement: "Specification of methods of analyses", version June 2020.




Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 AL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).

**Annex (D) remarks concerning the sampling and preservation period 2020191944/1**

Page 1/3

Non compliance(s) of the criteria is(are) observed that may have influenced the accuracy of the test results of samples mentioned below.


**Eurofins Analytico B.V.**

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 RL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Annex (D) remarks concerning the sampling and preservation period 2020191944/1

Page 2/3

Non compliance(s) of the criteria is(are) observed that may have influenced the accuracy of the test results of samples mentioned below.

Analysis

The preservation term for this parameter has been expired.

Volatiles (HS) preparation

Sample nr.

11734646
11734647
11734648
11734649
11734650
11734651
11734652
11734653
11734654
11734655
11734656
11734657
11734658
11734659
11734660
11734661
11734662
11734663
11734664
11734665
11734666
11734667
11734668
11734669
11734670
11734671
11734672
11734673
11734674
11734675
11734676
11734677
11734678
11734679
11734680
11734681
11734682
11734683
11734684
11734685
11734686
11734687
11734688


Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 RL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).



Annex (D) remarks concerning the sampling and preservation period 2020191944/1

Page 3/3

Non compliance(s) of the criteria is(are) observed that may have influenced the accuracy of the test results of samples mentioned below.

11734689
11734690
11734691
11734692
11734693
11734694
11734695
11734696
11734697
11734698
11734699
11734700
11734701
11734702
11734703
11734704
11734705
11734706
11734707
11734708
11734709
11734710
11734711
11734712
11734713
11734714
11734715
11734716
11734717
11734718
11734719
11734720
11734721
11734722
11734723
11734724
11734725
11734726
11734727
11734728
11734729
11734730
11734731

Eurofins Analytico B.V.

Gildeweg 42-46
3771 NB Barneveld
P.O. Box 459
3770 RL Barneveld NL

Tel. +31 (0)34 242 63 00
Fax +31 (0)34 242 63 99
E-mail info-env@eurofins.nl
Site www.eurofins.nl

BNP Paribas S.A. 227 9245 25
IBAN: NL71BNPA0227924525
BIC: BNPANL2A
KvK/CoC No. 09088623
BTW/VAT No. NL 8043.14.883.B01

Eurofins Analytico B.V. is ISO 14001: 2015 certified by TÜV and qualified by the Flemish Region (OVAM and Dep. Environment), the Brussels Region (IBGE/BIM), the Walloon Region (DGRNE-OWD) and by the Government of Luxembourg (MEV).




Chromatogram TPH/ Mineral Oil

Sample ID.: 11734646

Certificate no.: 2020191944

Sample description.: VE10

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734647

Certificate no.: 2020191944

Sample description.: M5

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734648

Certificate no.: 2020191944

Sample description.: 30

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734649

Certificate no.: 2020191944

Sample description.: 25

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734650

Certificate no.: 2020191944

Sample description.: 7M

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734651

Certificate no.: 2020191944

Sample description.: VE14

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734652

Certificate no.: 2020191944

Sample description.: VE11

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734653

Certificate no.: 2020191944

Sample description.: VE13

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734654

Certificate no.: 2020191944

Sample description.: VE12

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734655

Certificate no.: 2020191944

Sample description.: M4

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734656

Certificate no.: 2020191944

Sample description.: VE27

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734657

Certificate no.: 2020191944

Sample description.: VE19

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734658

Certificate no.: 2020191944

Sample description.: 2ve

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734659

Certificate no.: 2020191944

Sample description.: 5M

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734660

Certificate no.: 2020191944

Sample description.: VE8

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734661

Certificate no.: 2020191944

Sample description.: VE7

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734662

Certificate no.: 2020191944

Sample description.: 20a

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734663

Certificate no.: 2020191944

Sample description.: 3

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734664

Certificate no.: 2020191944

Sample description.: VE24

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734665

Certificate no.: 2020191944

Sample description.: VE25

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734666

Certificate no.: 2020191944

Sample description.: VE26

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734667

Certificate no.: 2020191944

Sample description.: 77

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734668

Certificate no.: 2020191944

Sample description.: 71

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734669

Certificate no.: 2020191944

Sample description.: 70

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734670

Certificate no.: 2020191944

Sample description.: 67

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734671

Certificate no.: 2020191944

Sample description.: 62

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734672

Certificate no.: 2020191944

Sample description.: 65

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734673

Certificate no.: 2020191944

Sample description.: 60

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734674

Certificate no.: 2020191944

Sample description.: 72

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734675

Certificate no.: 2020191944

Sample description.: 1-4

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734676

Certificate no.: 2020191944

Sample description.: 10

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734677

Certificate no.: 2020191944

Sample description.: 31

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734678

Certificate no.: 2020191944

Sample description.: VE3

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734679

Certificate no.: 2020191944

Sample description.: VE4

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734680

Certificate no.: 2020191944

Sample description.: VE28

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734681

Certificate no.: 2020191944

Sample description.: 33

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734682

Certificate no.: 2020191944

Sample description.: M9

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734683

Certificate no.: 2020191944

Sample description.: VE5

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734684

Certificate no.: 2020191944

Sample description.: 26

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734685

Certificate no.: 2020191944

Sample description.: VE2

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734686

Certificate no.: 2020191944

Sample description.: 3ve

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734687

Certificate no.: 2020191944

Sample description.: VE30

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734688

Certificate no.: 2020191944

Sample description.: 38

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734689

Certificate no.: 2020191944

Sample description.: 11

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734690

Certificate no.: 2020191944

Sample description.: 39

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734691

Certificate no.: 2020191944

Sample description.: VE22

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734692

Certificate no.: 2020191944

Sample description.: VE21

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734693

Certificate no.: 2020191944

Sample description.: VE1

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734694

Certificate no.: 2020191944

Sample description.: 36

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734695

Certificate no.: 2020191944

Sample description.: VE29

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734696

Certificate no.: 2020191944

Sample description.: 34

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734697

Certificate no.: 2020191944

Sample description.: VE6

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734698

Certificate no.: 2020191944

Sample description.: VE23

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734699

Certificate no.: 2020191944

Sample description.: 117

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734700

Certificate no.: 2020191944

Sample description.: 134

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734701

Certificate no.: 2020191944

Sample description.: 146

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734702

Certificate no.: 2020191944

Sample description.: 105

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734703 HI 10 VV + SPOEL

Certificate no.: 2020191944

Sample description.: VE14

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734704

Certificate no.: 2020191944

Sample description.: 107

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734705

Certificate no.: 2020191944

Sample description.: 123

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734706

Certificate no.: 2020191944

Sample description.: 133

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734707 HI 10 VV + SPOEL

Certificate no.: 2020191944

Sample description.: 125

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734708

Certificate no.: 2020191944

Sample description.: 102

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734709 HI 10 VV + SPOEL

Certificate no.: 2020191944

Sample description.: VE15

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734710

Certificate no.: 2020191944

Sample description.: 126

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734711

Certificate no.: 2020191944

Sample description.: 132

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734712

Certificate no.: 2020191944

Sample description.: 115

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734713

Certificate no.: 2020191944

Sample description.: 101

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734714

Certificate no.: 2020191944

Sample description.: 114

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734715

Certificate no.: 2020191944

Sample description.: 112

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734716

Certificate no.: 2020191944

Sample description.: 106

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734717

Certificate no.: 2020191944

Sample description.: 109

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734718

Certificate no.: 2020191944

Sample description.: 104

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734719

Certificate no.: 2020191944

Sample description.: 118

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734720

Certificate no.: 2020191944

Sample description.: 151

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734721

Certificate no.: 2020191944

Sample description.: 128

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734722

Certificate no.: 2020191944

Sample description.: 136

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734723

Certificate no.: 2020191944

Sample description.: 150

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734724

Certificate no.: 2020191944

Sample description.: 153

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734725

Certificate no.: 2020191944

Sample description.: 159

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734727

Certificate no.: 2020191944

Sample description.: VE15

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734728

Certificate no.: 2020191944

Sample description.: 157

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734729

Certificate no.: 2020191944

Sample description.: 138

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734730

Certificate no.: 2020191944

Sample description.: 111

V






Chromatogram TPH/ Mineral Oil

Sample ID.: 11734731

Certificate no.: 2020191944

Sample description.: 100

V





SIA "Vides audits" laboratorija
Dzērbenes iela 27, Rīga, LV-1006
tālr.: 67556152, fakss: 67545146
www.videsaudits.lv
info@videsaudits.lv

01.12.2020

TESTĒŠANAS PĀRSKATS Nr. 5575-25.11/1-20

1. Informācija par pasūtītāju

Pasūtītājs: VentEko, AS

Adrese: Rīgas iela 22, Piņķi, Babītes pag., LV-2107

Tālrunis: 67913155

Fakss: 67913156

2. Pasūtītāja informācija par paraugiem:

Objekts: VNT-SAN/2020

Paraugu ņemšanas datums: 25.11.2020

N.p.k.	Ņemšanas vieta	Parauga veids
1	144.aka	naftas piesārņ.gruntsūdens

3. Paraugu apraksts

N.p.k.	Trauka veids	Daudzums
1	pudele	0.5L

Paraugu pieņemšanas datums: 25.11.2020

Testēšanas rezultāti

Testēšanas izpildes sākuma/beigu datums: 25.11.2020/01.12.2020

Nosakāmais rādītājs	Mērv.	Rezultāts	Rezultāta ~ nenoteiktība	Testēšanas metodes Nr.
1. paraugs - 144.aka				
Naftas produktu piesārņojuma vecums	gadi	>20	-	NORDTEST Method NT CHEM 001:1991 ^a
Ogļūdeņražu frakcija C6- C10	%	24	1	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C10- C24	%	76	4	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C24- C40	%	<1	-	LVS EN ISO 9377-2:2001

~ uzdotā nenoteiktība ir paplašinātā nenoteiktība, kas aprēķināta, izmantojot A tipa (statistisko) pieeju un pārklāšanās koeficientu 2, kurš nodrošina 95% ticamības līmeni. Rezultāti, kas mazāki par metodes noteikšanas robežu (MDL), uzdoti ar zīmi "<". Skaitlis, kas atrodas aiz zīmes "<", ir vienāds ar MDL.

^a norāda metodi, kura neietilpst laboratorijas akreditācijas sfērā.

Testēšanas rezultāti attiecas tikai uz konkrētajiem paraugiem!

Paraugu ņemšanu veicis pasūtītājs.

Testēšanas laboratorija nav atbildīga par pasūtītāja sniegtajām ziņām p.2.

Laboratorijas vadītājas vietniece: Natalija Gorbunova

Bez SIA "Vides audits" laboratorijas rakstiskas atļaujas testēšanas pārskata reproducēšana nepilnā apjomā ir aizliegta!

Rezultāti ir sagatavoti elektroniski un ir derīgi bez paraksta.
Testēšanas pārskats Nr. 5575-25.11/1-20

I-KD-5-19-3-15-03-2007



SIA "Vides audits" laboratorija
Dzērbenes iela 27, Rīga, LV-1006
tālr.: 67556152, fakss: 67545146
www.videsaudits.lv
info@videsaudits.lv

01.12.2020

TESTĒŠANAS PĀRSKATS Nr. 5575-25.11/5-20

1. Informācija par pasūtītāju

Pasūtītājs: VentEko, AS

Adrese: Rīgas iela 22, Piņķi, Babītes pag., LV-2107

Tālrunis: 67913155

Fakss: 67913156

2. Pasūtītāja informācija par paraugiem:

Objekts: VNT-SAN/2020

Paraugu ņemšanas datums: 25.11.2020

N.p.k.	Ņemšanas vieta	Parauga veids
1	142.aka	naftas piesārņ.gruntsūdens

3. Paraugu apraksts

N.p.k.	Trauka veids	Daudzums
1	pudele	0.5L

Paraugu pieņemšanas datums: 25.11.2020

Testēšanas rezultāti

Testēšanas izpildes sākuma/beigu datums: 25.11.2020/01.12.2020

Nosakāmais rādītājs	Mērv.	Rezultāts	Rezultāta ~ nenoteiktība	Testēšanas metodes Nr.
1. paraugs - 142.aka				
Naftas produktu piesārņojuma vecums	gadi	>20	-	NORDTEST Method NT CHEM 001:1991 ^a
Ogļūdeņražu frakcija C6- C10	%	21	1	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C10- C24	%	79	4	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C24- C40	%	<1	-	LVS EN ISO 9377-2:2001

~ uzdotā nenoteiktība ir paplašinātā nenoteiktība, kas aprēķināta, izmantojot A tipa (statistisko) pieeju un pārklāšanās koeficientu 2, kurš nodrošina 95% ticamības līmeni. Rezultāti, kas mazāki par metodes noteikšanas robežu (MDL), uzdoti ar zīmi "< ". Skaitlis, kas atrodas aiz zīmes "< ", ir vienāds ar MDL.

^a norāda metodi, kura neietilpst laboratorijas akreditācijas sfērā.

Testēšanas rezultāti attiecas tikai uz konkrētajiem paraugiem!

Paraugu ņemšanu veicis pasūtītājs.

Testēšanas laboratorija nav atbildīga par pasūtītāja sniegtajām ziņām p.2.

Laboratorijas vadītājas vietniece: Natalija Gorbunova

Bez SIA "Vides audits" laboratorijas rakstiskas atļaujas testēšanas pārskata reproducēšana nepilnā apjomā ir aizliegta!

Rezultāti ir sagatavoti elektroniski un ir derīgi bez paraksta.
Testēšanas pārskats Nr. 5575-25.11/5-20

I-KD-5-19-3-15-03-2007



SIA "Vides audits" laboratorija
Dzērbenes iela 27, Rīga, LV-1006
tālr.: 67556152, fakss: 67545146
www.videsaudits.lv
info@videsaudits.lv

01.12.2020

TESTĒŠANAS PĀRSKATS Nr. 5575-25.11/6-20

1. Informācija par pasūtītāju

Pasūtītājs: VentEko, AS

Adrese: Rīgas iela 22, Piņķi, Babītes pag., LV-2107

Tālrunis: 67913155

Fakss: 67913156

2. Pasūtītāja informācija par paraugiem:

Objekts: VNT-SAN/2020

Paraugu ņemšanas datums: 25.11.2020

N.p.k.	Ņemšanas vieta	Parauga veids
1	35.aka	naftas piesārņ.gruntsūdens

3. Paraugu apraksts

N.p.k.	Trauka veids	Daudzums
1	pudele	0.5L

Paraugu pieņemšanas datums: 25.11.2020

Testēšanas rezultāti

Testēšanas izpildes sākuma/beigu datums: 25.11.2020/01.12.2020

Nosakāmais rādītājs	Mērv.	Rezultāts	Rezultāta ~ nenoteiktība	Testēšanas metodes Nr.
1. paraugs - 35.aka				
Naftas produktu piesārņojuma vecums	gadi	>20	-	NORDTEST Method NT CHEM 001:1991 ^a
Ogļūdeņražu frakcija C6- C10	%	31	2	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C10- C24	%	69	3	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C24- C40	%	<1	-	LVS EN ISO 9377-2:2001

~ uzdotā nenoteiktība ir paplašinātā nenoteiktība, kas aprēķināta, izmantojot A tipa (statistisko) pieeju un pārklāšanās koeficientu 2, kurš nodrošina 95% ticamības līmeni. Rezultāti, kas mazāki par metodes noteikšanas robežu (MDL), uzdoti ar zīmi "< ". Skaitlis, kas atrodas aiz zīmes "< ", ir vienāds ar MDL.

^a norāda metodi, kura neietilpst laboratorijas akreditācijas sfērā.

Testēšanas rezultāti attiecas tikai uz konkrētajiem paraugiem!

Paraugu ņemšanu veicis pasūtītājs.

Testēšanas laboratorija nav atbildīga par pasūtītāja sniegtajām ziņām p.2.

Laboratorijas vadītājas vietniece: Natalija Gorbunova

Bez SIA "Vides audits" laboratorijas rakstiskas atļaujas testēšanas pārskata reproducēšana nepilnā apjomā ir aizliegta!

Rezultāti ir sagatavoti elektroniski un ir derīgi bez paraksta.
Testēšanas pārskats Nr. 5575-25.11/6-20

I-KD-5-19-3-15-03-2007



SIA "Vides audits" laboratorija
Dzērbenes iela 27, Rīga, LV-1006
tālr.: 67556152, fakss: 67545146
www.videsaudits.lv
info@videsaudits.lv

01.12.2020

TESTĒŠANAS PĀRSKATS Nr. 5575-25.11/8-20

1. Informācija par pasūtītāju

Pasūtītājs: VentEko, AS

Adrese: Rīgas iela 22, Piņķi, Babītes pag., LV-2107

Tālrunis: 67913155

Fakss: 67913156

2. Pasūtītāja informācija par paraugiem:

Objekts: VNT-SAN/2020

Paraugu ņemšanas datums: 25.11.2020

N.p.k.	Ņemšanas vieta	Parauga veids
1	15B.aka	naftas piesārņ.gruntsūdens

3. Paraugu apraksts

N.p.k.	Trauka veids	Daudzums
1	pudele	0.5L

Paraugu pieņemšanas datums: 25.11.2020

Testēšanas rezultāti

Testēšanas izpildes sākuma/beigu datums: 25.11.2020/01.12.2020

Nosakāmais rādītājs	Mērv.	Rezultāts	Rezultāta ~ nenoteiktība	Testēšanas metodes Nr.
1. paraugs - 15B.aka				
Naftas produktu piesārņojuma vecums	gadi	>20	-	NORDTEST Method NT CHEM 001:1991 ^a
Ogļūdeņražu frakcija C6- C10	%	8	0	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C10- C24	%	92	5	LVS EN ISO 9377-2:2001
Ogļūdeņražu frakcija C24- C40	%	<1	-	LVS EN ISO 9377-2:2001

~ uzdotā nenoteiktība ir paplašinātā nenoteiktība, kas aprēķināta, izmantojot A tipa (statistisko) pieeju un pārklāšanās koeficientu 2, kurš nodrošina 95% ticamības līmeni. Rezultāti, kas mazāki par metodes noteikšanas robežu (MDL), uzdoti ar zīmi "<". Skaitlis, kas atrodas aiz zīmes "<", ir vienāds ar MDL.

^a norāda metodi, kura neietilpst laboratorijas akreditācijas sfērā.

Testēšanas rezultāti attiecas tikai uz konkrētajiem paraugiem!

Paraugu ņemšanu veicis pasūtītājs.

Testēšanas laboratorija nav atbildīga par pasūtītāja sniegtajām ziņām p.2.

Laboratorijas vadītājas vietniece: Natalija Gorbunova

Bez SIA "Vides audits" laboratorijas rakstiskas atļaujas testēšanas pārskata reproducēšana nepilnā apjomā ir aizliegta!

Rezultāti ir sagatavoti elektroniski un ir derīgi bez paraksta.
Testēšanas pārskats Nr. 5575-25.11/8-20

I-KD-5-19-3-15-03-2007